

09/674469

## PATENT COOPERATION TREATY

PCT

From the INTERNATIONAL BUREAU

NOTIFICATION OF THE RECORDING  
OF A CHANGE(PCT Rule 92bis.1 and  
Administrative Instructions, Section 422)

To:

WEST-WALKER, Gregory, James  
A J Park  
6th Floor  
Huddart Parker Building  
1 Post Office Square, P.O. Box 949  
Wellington 6015  
NOUVELLE-ZÉLANDE

RECEIVED  
MAY 4 - 2000  
Technical Section 2100

Date of mailing (day/month/year) 28 March 2001 (28.03.01)	<b>IMPORTANT NOTIFICATION</b> MAY 4 - 2000 Technical Section 2100
Applicant's or agent's file reference 25844GWW/MDA	
International application No. PCT/NZ00/00099	International filing date (day/month/year) 14 June 2000 (14.06.00)

1. The following indications appeared on record concerning:

☐ the applicant
 ☐ the inventor
 ☒ the agent
 ☐ the common representative

Name and Address BENNETT, Michael, Roy A J Park Huddart Parker Building Level 6 1 Post Office Square Wellington New Zealand	State of Nationality	State of Residence
	Telephone No. 64 4 473 8278	
	Facsimile No. 64 4 472 3358	
	Teleprinter No.	

2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:

☐ the person
 ☒ the name
 ☒ the address
 ☐ the nationality
 ☐ the residence

Name and Address WEST-WALKER, Gregory, James A J Park 6th Floor Huddart Parker Building 1 Post Office Square, P.O. Box 949 Wellington 6015 New Zealand	State of Nationality	State of Residence
	Telephone No. 64-4-473 8278	
	Facsimile No. 64-4-472 3358	
	Teleprinter No.	

3. Further observations, if necessary:

4. A copy of this notification has been sent to:

☒ the receiving Office
 ☐ the designated Offices concerned  
☐ the International Searching Authority
 ☒ the elected Offices concerned  
☒ the International Preliminary Examining Authority
 ☐ other:

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland  Facsimile No.: (41-22) 740.14.35	Authorized officer  J. Leitao  Telephone No.: (41-22) 338.83.38
---	---

## PATENT COOPERATION TREATY

PCT

From the INTERNATIONAL BUREAU

NOTIFICATION OF THE RECORDING  
OF A CHANGE(PCT Rule 92bis.1 and  
Administrative Instructions, Section 422)

To:

BENNETT, Michael, Roy  
A J Park  
Huddart Parker Building  
Level 6  
1 Post Office Square  
Wellington  
NOUVELLE-ZÉLANDE

Date of mailing (day/month/year) 29 January 2001 (29.01.01)	<b>IMPORTANT NOTIFICATION</b>
Applicant's or agent's file reference 25844GWW/MDA	
International application No. PCT/NZ00/00099	International filing date (day/month/year) 14 June 2000 (14.06.00)

1. The following indications appeared on record concerning:		
<input type="checkbox"/> the applicant	<input type="checkbox"/> the inventor	<input checked="" type="checkbox"/> the agent
<input type="checkbox"/> the common representative		
Name and Address BENNETT, Michael, Roy West-Walker Bennett Mobil on the Park 157 Lambton Quay Wellington New Zealand	State of Nationality	State of Residence
	Telephone No.	
	Facsimile No.	
	Teleprinter No.	
2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning:		
<input type="checkbox"/> the person	<input type="checkbox"/> the name	<input checked="" type="checkbox"/> the address
<input type="checkbox"/> the nationality		
<input type="checkbox"/> the residence		
Name and Address BENNETT, Michael, Roy A J Park Huddart Parker Building Level 6 1 Post Office Square Wellington New Zealand	State of Nationality	State of Residence
	Telephone No. 64 4 473 8278	
	Facsimile No. 64 4 472 3358	
	Teleprinter No.	
3. Further observations, if necessary: <b>The new agent's address on the Demand has been considered as a change under Rule 92bis. In case of disagreement, the International Bureau should be notified immediately.</b>		
4. A copy of this notification has been sent to:		
<input checked="" type="checkbox"/> the receiving Office	<input type="checkbox"/> the designated Offices concerned	
<input type="checkbox"/> the International Searching Authority	<input checked="" type="checkbox"/> the elected Offices concerned	
<input checked="" type="checkbox"/> the International Preliminary Examining Authority	<input type="checkbox"/> other:	

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer  C. Cupello
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38

From the RECEIVING OFFICE

**PCT**

To

West-Walker Bennett  
Mobil on the Park  
PO Box 1344  
157 Lambton Quay  
Wellington 6001  
New Zealand

# NOTIFICATION OF RECEIPT OF PAPERS PURPORTING TO BE AN INTERNATIONAL APPLICATION

(PCT Administrative Instructions, Section 301)

Date of mailing

(day/month/year) 19 June 2000 (19/06/2000)

Applicant's or agent's file reference  
25844GWW/MDA

**IMPORTANT NOTIFICATION**

International application No.  
PCT/NZ00/00099

Date of receipt (day/month/year)  
14 JUNE 2000 (14/06/2000)

Priority Date(day/month/year)  
14 JUNE 1999 (14/06/1999) et  
al.

Applicant

COMPUDIGM INTERNATIONAL LIMITED

Title of the invention

DATA VISUALISATION SYSTEM AND METHOD

1. The applicant is hereby notified that this receiving Office has received papers purporting to be an international application on the date of receipt indicated above.
2. The applicants attention is drawn to the fact that **these papers have not yet been checked by this receiving Office** in respect of their compliance with the requirements of Article 11(1), that is, whether these papers meet the requirements necessary for the according of an international filing date.
3. As soon as this receiving Office has checked these papers, it will inform the applicant accordingly.
4. These papers have provisionally been given the international application number indicated above. The applicant is hereby requested to make reference to that number in all correspondence with the receiving Office.

Name and mailing address of the receiving Office  
Intellectual Property Office of New Zealand  
P O Box 30-687, Lower Hutt, New Zealand  
Facsimile No. 64-04-568 0747

Authorised Officer: Theresa King

Telephone No. 64-04-568-0724

# PCT

## REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

International Application No.

International Filing Date

Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference  
(if desired) (12 characters maximum)

25844GWW/MDA

<b>Box No. I TITLE OF INVENTION</b>	
DATA VISUALISATION SYSTEM AND METHOD	
<b>Box No. II APPLICANT</b>	
<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</p> <p>COMPUDIGM INTERNATIONAL LIMITED Level 16, Compudigm House 49 Boulcott Street Wellington NEW ZEALAND</p>	
<p><input type="checkbox"/> This person is also inventor.</p> <p>Telephone No.</p> <p>Facsimile No.</p> <p>Teleprinter No.</p>	
State (that is, country) of nationality: NEW ZEALAND	State (that is, country) of residence: NEW ZEALAND
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input checked="" type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<b>Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)</b>	
<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</p> <p>CARDNO, ANDREW JOHN Level 16, Compudigm House 49 Boulcott Street Wellington NEW ZEALAND</p>	
<p>This person is: <input type="checkbox"/> applicant only <input checked="" type="checkbox"/> applicant and inventor <input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>	
State (that is, country) of nationality: NEW ZEALAND	State (that is, country) of residence: NEW ZEALAND
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p><input checked="" type="checkbox"/> Further applicants and/or (further) inventors are indicated on a continuation sheet.</p>	
<b>Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE</b>	
<p>The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: <input checked="" type="checkbox"/> agent <input type="checkbox"/> common representative</p>	
<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)</p> <p>BENNETT, Michael Roy; WEST-WALKER, Gregory James; RUTLEDGE, Sue Moira; ADAMS, Matthew Dickson of WEST-WALKER BENNETT Mobil on the Park 157 Lambton Quay Wellington, New Zealand</p>	
<p>Telephone No. +64 4 499 9058</p> <p>Facsimile No. +64 4 499 9306</p> <p>Teleprinter No.</p>	
<p><input type="checkbox"/> Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.</p>	

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
<i>If none of the following sub-boxes is used, this sheet should not be included in the request.</i>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>SOPER, CRAIG IVAN Level 16, Compudigm House 49 Boulcott Street Wellington NEW ZEALAND</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: NEW ZEALAND	State <i>(that is, country)</i> of residence: NEW ZEALAND
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>MULGAN, NICHOLAS JOHN Level 16, Compudigm House 49 Boulcott Street Wellington NEW ZEALAND</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: NEW ZEALAND	State <i>(that is, country)</i> of residence: NEW ZEALAND
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>RYAN, PATRICK NICHOLAS Level 16, Compudigm House 49 Boulcott Street Wellington NEW ZEALAND</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: NEW ZEALAND	State <i>(that is, country)</i> of residence: NEW ZEALAND
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>CARDNO, PAUL ALLAN Level 16, Compudigm House 49 Boulcott Street Wellington NEW ZEALAND</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: NEW ZEALAND	State <i>(that is, country)</i> of residence: NEW ZEALAND
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p><input type="checkbox"/> Further applicants and/or (further) inventors are indicated on another continuation sheet.</p>	

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
<i>If none of the following sub-boxes is used, this sheet should not be included in the request.</i>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>MAHN, ANDREAS Level 16, Compudigm House 49 Boulcott Street Wellington NEW ZEALAND</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: GERMANY	State <i>(that is, country)</i> of residence: NEW ZEALAND
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p> <p>KAUFMANN, NICOLE Level 16, Compudigm House 49 Boulcott Street Wellington NEW ZEALAND</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality: GERMANY	State <i>(that is, country)</i> of residence: NEW ZEALAND
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality:	State <i>(that is, country)</i> of residence:
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: <i>(Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</i></p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only <i>(If this check-box is marked, do not fill in below.)</i></p>
State <i>(that is, country)</i> of nationality:	State <i>(that is, country)</i> of residence:
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p><input type="checkbox"/> Further applicants and/or (further) inventors are indicated on another continuation sheet.</p>	

## Box No.V DESIGNATION STATES

The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes: at least one must be marked):

## Regional Patent

- ☒ AP ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT
- ☒ EA Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- ☒ EP European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- ☒ OA OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)

National Patent (if other kind of protection or treatment desired, specify on dotted line):

- |  |  |
|--|--|
| <input checked="" type="checkbox"/> AE United Arab Emirates                  | <input checked="" type="checkbox"/> LR Liberia   |
| <input checked="" type="checkbox"/> AL Albania                               | <input checked="" type="checkbox"/> LS Lesotho   |
| <input checked="" type="checkbox"/> AM Armenia                               | <input checked="" type="checkbox"/> LT Lithuania   |
| <input checked="" type="checkbox"/> AT Austria                               | <input checked="" type="checkbox"/> LU Luxembourg  |
| <input checked="" type="checkbox"/> AU Australia                             | <input checked="" type="checkbox"/> LV Latvia  |
| <input checked="" type="checkbox"/> AZ Azerbaijan                            | <input checked="" type="checkbox"/> MA Morocco   |
| <input checked="" type="checkbox"/> BA Bosnia and Herzegovina                | <input checked="" type="checkbox"/> MD Republic of Moldova   |
| <input checked="" type="checkbox"/> BB Barbados                              | <input checked="" type="checkbox"/> MG Madagascar  |
| <input checked="" type="checkbox"/> BG Bulgaria                              | <input checked="" type="checkbox"/> MK The former Yugoslav Republic of Macedonia                             |
| <input checked="" type="checkbox"/> BR Brazil                                | <input checked="" type="checkbox"/> MZ Mozambique  |
| <input checked="" type="checkbox"/> BY Belarus                               | <input checked="" type="checkbox"/> MN Mongolia  |
| <input checked="" type="checkbox"/> CA Canada                                | <input checked="" type="checkbox"/> MW Malawi  |
| <input checked="" type="checkbox"/> CH and LI Switzerland and Liechtenstein  | <input checked="" type="checkbox"/> MX Mexico  |
| <input checked="" type="checkbox"/> CN China                                 | <input checked="" type="checkbox"/> NO Norway  |
| <input checked="" type="checkbox"/> CR Costa Rica                            | <input checked="" type="checkbox"/> NZ New Zealand   |
| <input checked="" type="checkbox"/> CU Cuba                                  | <input checked="" type="checkbox"/> PL Poland  |
| <input checked="" type="checkbox"/> CZ Czech Republic                        | <input checked="" type="checkbox"/> PT Portugal  |
| <input checked="" type="checkbox"/> DE Germany                               | <input checked="" type="checkbox"/> RO Romania   |
| <input checked="" type="checkbox"/> DK Denmark                               | <input checked="" type="checkbox"/> RU Russian Federation  |
| <input checked="" type="checkbox"/> DM Dominica                              | <input checked="" type="checkbox"/> SD Sudan   |
| <input checked="" type="checkbox"/> EE Estonia                               | <input checked="" type="checkbox"/> SE Sweden  |
| <input checked="" type="checkbox"/> ES Spain                                 | <input checked="" type="checkbox"/> SG Singapore   |
| <input checked="" type="checkbox"/> FI Finland                               | <input checked="" type="checkbox"/> SI Slovenia  |
| <input checked="" type="checkbox"/> GB United Kingdom                        | <input checked="" type="checkbox"/> SK Slovakia  |
| <input checked="" type="checkbox"/> GD Grenada                               | <input checked="" type="checkbox"/> SL Sierra Leone  |
| <input checked="" type="checkbox"/> GE Georgia                               | <input checked="" type="checkbox"/> TJ Tajikistan  |
| <input checked="" type="checkbox"/> GH Ghana                                 | <input checked="" type="checkbox"/> TM Turkmenistan  |
| <input checked="" type="checkbox"/> GM Gambia                                | <input checked="" type="checkbox"/> TR Turkey  |
| <input checked="" type="checkbox"/> HR Croatia                               | <input checked="" type="checkbox"/> TT Trinidad and Tobago   |
| <input checked="" type="checkbox"/> HU Hungary                               | <input checked="" type="checkbox"/> TZ United Republic of Tanzania   |
| <input checked="" type="checkbox"/> ID Indonesia                             | <input checked="" type="checkbox"/> UA Ukraine   |
| <input checked="" type="checkbox"/> IL Israel                                | <input checked="" type="checkbox"/> UG Uganda  |
| <input checked="" type="checkbox"/> IN India                                 | <input checked="" type="checkbox"/> US United States of America  |
| <input checked="" type="checkbox"/> IS Iceland                               |  |
| <input checked="" type="checkbox"/> JP Japan                                 | <input checked="" type="checkbox"/> UZ Uzbekistan  |
| <input checked="" type="checkbox"/> KE Kenya                                 | <input checked="" type="checkbox"/> VN Viet Nam  |
| <input checked="" type="checkbox"/> KG Kyrgyzstan                            | <input checked="" type="checkbox"/> YU Yugoslavia  |
| <input checked="" type="checkbox"/> KP Democratic People's Republic of Korea | <input checked="" type="checkbox"/> ZA South Africa  |
|  | <input checked="" type="checkbox"/> ZW Zimbabwe  |
| <input checked="" type="checkbox"/> KR Republic of Korea                     | Check-boxes reserved for designating States which have become party to the PCT after issuance of this sheet: |
| <input checked="" type="checkbox"/> KZ Kazakhstan                            | <input checked="" type="checkbox"/> DZ Algeria   |
| <input checked="" type="checkbox"/> LC Saint Lucia                           | <input checked="" type="checkbox"/> AG Antigua and Barbuda   |
| <input checked="" type="checkbox"/> LK Sri Lanka                             |  |

**Precautionary Designation Statement:** In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

<b>Box No. VI PRIORITY CLAIM</b>		<input checked="" type="checkbox"/> Further priority claims are indicated in the Supplemental Box.		
Filing date of earlier application (day/month/year)	Number of earlier application	Where earlier application is:		
		national application: country	regional application: regional Office	international application: receiving Office
item (1) 14 June 1999 14/06/1999	336257	New Zealand		
item (2) 20 March 2000 20/03/2000	503480	New Zealand		
item (3) 3 May 2000 03/05/2000	504315	New Zealand		
<input type="checkbox"/> The receiving Office is requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) (only if the earlier application was filed with the Office which for the purposes of the present international application is the receiving Office) identified above as item(s): _____				
<i>* Where the earlier application is an ARIPO application, it is mandatory to indicate in the Supplemental Box at least one country party to the Paris Convention for the Protection of Industrial Property for which that earlier application was filed (Rule 4.10(b)(ii)). See Supplemental Box.</i>				
<b>Box No. VII INTERNATIONAL SEARCHING AUTHORITY</b>				
Choice of International Searching Authority (ISA) (if two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used):		Request to use results of earlier search; reference to that search (if an earlier search has been carried out by or requested from the International Searching Authority): Date (day/month/year)      Number      Country (or regional Office)		
ISA/ AUSTRALIA				
<b>Box No. VIII CHECK LIST: LANGUAGE OF FILING</b>				
This international application contains the following number of sheets: request : 6 description (excluding sequence listing part) : <del>34</del> 32 claims : 6 abstract : 1 drawings : 26 sequence listing part of description : _____ Total number of sheets : <del>78</del> 71		This international application is accompanied by the item(s) marked below: 1. <input type="checkbox"/> fee calculation sheet 2. <input type="checkbox"/> separate signed power of attorney 3. <input type="checkbox"/> copy of general power of attorney; reference number, if any: 4. <input type="checkbox"/> statement explaining lack of signature 5. <input type="checkbox"/> priority document(s) identified in Box No. VI as item(s): 6. <input type="checkbox"/> translation of international application into (language): 7. <input type="checkbox"/> separate indications concerning deposited microorganism or other biological material 8. <input type="checkbox"/> nucleotide and/or amino acid sequence listing in computer readable form 9. <input type="checkbox"/> other (specify):		
Figure of the drawings which should accompany the abstract: 3		Language of filing of the international application: English		
<b>Box No. IX SIGNATURE OF APPLICANT OR AGENT</b>				
Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).				
_____ MATTHEW DICKSON ADAMS				

For receiving Office use only	
1. Date of actual receipt of the purported international application: _____ 3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application: _____ 4. Date of timely receipt of the required corrections under PCT Article 11(2): _____ 5. International Searching Authority (if two or more are competent): ISA/	2. Drawings: <input type="checkbox"/> received: <input type="checkbox"/> not received: 6. <input type="checkbox"/> Transmittal of search copy delayed until search fee is paid.

For International Bureau use only
Date of receipt of the record copy by the International Bureau: _____

**Supplemental Box** *If the Supplemental Box is not used, this sheet should not be included in the request.*

1. If, in any of the Boxes, the space is insufficient to furnish all the information: in such case, write "Continuation of Box No. ..." [indicate the number of the Box] and furnish the information in the same manner as required according to the captions of the Box in which the space was insufficient, in particular:

- (i) if more than two persons are involved as applicants and/or inventors and no "continuation sheet" is available: in such case, write "Continuation of Box No. III" and indicate for each additional person the same type of information as required in Box No. III. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below;
  - (ii) if, in Box No. II or in any of the sub-boxes of Box No. III, the indication "the States indicated in the Supplemental Box" is checked: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the applicant(s) involved and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is applicant;
  - (iii) if, in Box No. II or in any of the sub-boxes of Box No. III, the inventor or the inventor/applicant is not inventor for the purposes of all designated States or for the purposes of the United States of America: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be), indicate the name of the inventor(s) and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is inventor;
  - (iv) if, in addition to the agent(s) indicated in Box No. IV, there are further agents: in such case, write "Continuation of Box No. IV" and indicate for each further agent the same type of information as required in Box No. IV;
  - (v) if, in Box No. V, the name of any State (or OAPI) is accompanied by the indication "patent of addition," or "certificate of addition," or if, in Box No. V, the name of the United States of America is accompanied by an indication "continuation" or "continuation-in-part": in such case, write "Continuation of Box No. V" and the name of each State involved (or OAPI), and after the name of each such State (or OAPI), the number of the parent title or parent application and the date of grant of the parent title or filing of the parent application;
  - (vi) if, in Box No. VI, there are more than three earlier applications whose priority is claimed: in such case, write "Continuation of Box No. VI" and indicate for each additional earlier application the same type of information as required in Box No. VI;
  - (vii) if, in Box No. VI, the earlier application is an ARIPO application: in such case, write "Continuation of Box No. VI", specify the number of the item corresponding to that earlier application and indicate at least one country party to the Paris Convention for the Protection of Industrial Property or one Member of the World Trade Organization for which that earlier application was filed.
2. If, with regard to the precautionary designation statement contained in Box No. V, the applicant wishes to exclude any State(s) from the scope of that statement: in such case, write "Designation(s) excluded from precautionary designation statement" and indicate the name or two-letter code of each State so excluded.
3. If the applicant claims, in respect of any designated Office, the benefits of provisions of the national law concerning non-prejudicial disclosures or exceptions to lack of novelty: in such case, write "Statement concerning non-prejudicial disclosures or exceptions to lack of novelty" and furnish that statement below.

Continuation of Box No. VI:

17 May 2000  
17/05/2000

504589

New Zealand

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

REC'D 16 JUL 2001

PCT

Applicant's or agent's file reference P825844 MDA/mzh	<b>FOR FURTHER ACTION</b> See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416).	
International Application No. <b>PCT/NZ00/00099</b>	International Filing Date (day/month/year) 14 June 2000	Priority Date (day/month/year) 14 June 1999
International Patent Classification (IPC) or national classification and IPC <b>Int. Cl. <sup>7</sup> G06F 17/30, 17/60</b>		
Applicant <b>COMPUDIGM INTERNATIONAL LIMITED et al</b>		

1.	This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.																
2.	<p>This REPORT consists of a total of 3 sheets, including this cover sheet.</p> <p><input checked="" type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of 11 sheet(s).</p>																
3.	<p>This report contains indications relating to the following items:</p> <table border="0"> <tr> <td>I</td> <td><input checked="" type="checkbox"/> Basis of the report</td> </tr> <tr> <td>II</td> <td><input type="checkbox"/> Priority</td> </tr> <tr> <td>III</td> <td><input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability</td> </tr> <tr> <td>IV</td> <td><input type="checkbox"/> Lack of unity of invention</td> </tr> <tr> <td>V</td> <td><input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement</td> </tr> <tr> <td>VI</td> <td><input type="checkbox"/> Certain documents cited</td> </tr> <tr> <td>VII</td> <td><input type="checkbox"/> Certain defects in the international application</td> </tr> <tr> <td>VIII</td> <td><input type="checkbox"/> Certain observations on the international application</td> </tr> </table>	I	<input checked="" type="checkbox"/> Basis of the report	II	<input type="checkbox"/> Priority	III	<input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability	IV	<input type="checkbox"/> Lack of unity of invention	V	<input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement	VI	<input type="checkbox"/> Certain documents cited	VII	<input type="checkbox"/> Certain defects in the international application	VIII	<input type="checkbox"/> Certain observations on the international application
I	<input checked="" type="checkbox"/> Basis of the report																
II	<input type="checkbox"/> Priority																
III	<input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability																
IV	<input type="checkbox"/> Lack of unity of invention																
V	<input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement																
VI	<input type="checkbox"/> Certain documents cited																
VII	<input type="checkbox"/> Certain defects in the international application																
VIII	<input type="checkbox"/> Certain observations on the international application																

Date of submission of the demand 19 December 2000	Date of completion of the report 5 July 2001
Name and mailing address of the IPEA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustalia.gov.au Facsimile No. (02) 6285 3929	Authorized Officer  <b>P. THONG</b> Telephone No. (02) 6283 2128

**I. Basis of the report**

1. With regard to the **elements of the international application**:\*
- ☐ the international application as originally filed.
- ☒ the description, pages **1,3-32** as originally filed,  
pages , filed with the demand,  
pages **2**, received on **10 May 2001** with the letter of **10 May 2001**  
pages **2a**, received on **7 June 2001** with the letter of **7 June 2001**
- ☒ the claims, pages , as originally filed,  
pages , as amended (together with any statement) under Article 19,  
pages , filed with the demand,  
pages **33-37**, received on **10 May 2001** with the letter of **10 May 2001**  
pages **38,40** received on **7 June 2001** with the letter of **7 June 2001**  
pages **39,41** received on **3 July 2001** with the letter of **3 July 2001**
- ☒ the drawings, pages **1/26-26/26**, as originally filed,  
pages , filed with the demand,  
pages , received on with the letter of
- ☐ the sequence listing part of the description:  
pages , as originally filed  
pages , filed with the demand  
pages , received on with the letter of
2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.  
These elements were available or furnished to this Authority in the following language which is:
- ☐ the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).
3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:
- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished
4. ☐ The amendments have resulted in the cancellation of:
- ☐ the description, pages
- ☐ the claims, Nos.
- ☐ the drawings, sheets/fig.
5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).\*\*

\* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

\*\* Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report

**V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement****1. Statement**

Novelty (N)	Claims 1-53	YES
	Claims	NO
Inventive step (IS)	Claims 1-53	YES
	Claims	NO
Industrial applicability (IA)	Claims 1-53	YES
	Claims	NO

**2. Citations and explanations (Rule 70.7)**

D1 = US 5689431  
D2 = GB 2233197  
D3 = US 4343469  
D4 = AU 51169/96  
D5 = US 5333244

None of the citations discloses or renders obvious the subject matter as defined in claims 1 to 53.

Therefore the subject matter of these claims is new and meets the requirements of Article 33(2) PCT with regard to the requirement for novelty. The subject matter of these claims is not obvious and meets the requirements of Article 33(3) PCT with regard to the requirement for inventive step. The invention as claimed is also industrially applicable.

## **SUMMARY OF INVENTION**

5 In broad terms in one form the invention comprises a data visualisation system comprising a data value memory in which is maintained a finite set of data values; a display arranged to display a representation of each data value centred on respective data points; and a contour generator arranged to generate and display a contoured representation around each data point such that each data point is displayed as a local maximum.

10 In another form in broad terms the invention comprises a data visualisation system comprising a data value memory in which is maintained a finite set of data values; a display arranged to display a representation of each data value centred on respective data points; and a contour generator arranged to generate and display one or more contour lines around each data point, each contour line representing data values  
15 which are less than the data value of the data point around which the contour line is displayed.

In another form in broad terms the invention comprises a data visualisation system comprising a data value memory in which is maintained an interaction database of  
20 interaction data representing interactions between customers and merchants; a retrieval device arranged to retrieve from the interaction database data representing interactions between customers and merchants and to construct a finite set of data values from the retrieved data; and a display arranged to display a graphical representation of at least one merchant and to superimpose a contoured  
25 representation of the data values on the graphical representation of the merchant, such that each data value is displayed as a local maximum.

In another form in broad terms the invention comprises a method of data visualisation comprising the steps of maintaining in a data value memory a finite set  
30 of data values; displaying a representation of each data value centred on respective data points; and generating and displaying a contoured representation around each data point such that each data point is displayed as a local maximum.

In a further form in broad terms the invention comprises a method of data  
35 visualisation comprising the steps of maintaining in a data value memory a finite set of data values; displaying a representation of each data value centred on respective data points; and generating and displaying one or more contour lines around each

data point, each contour line representing data values which are less than the data value of the data point around which the contour line is displayed.

5 In another form in broad terms the invention comprises a method of data visualisation comprising the steps of maintaining in an interaction database interaction data representing interactions between customers and merchants; retrieving from the interaction database data representing interactions between customers and merchants; constructing a finite set of data values from the retrieved data; displaying a graphical representation of at least one merchant; and  
10 superimposing a contoured representation of the data values on the graphical representation of the merchant, such that each data value is displayed as a local maximum.

15 In another form in broad terms the invention comprises a data visualisation computer program which enables maintaining in a data memory a finite set of data values; displaying a representation of each data value centred on respective data points; and generating and displaying a contoured representation around each data point such that each data point is displayed as a local maximum.

20 The invention in another form broadly comprises a data visualisation computer program which enables maintaining in a data memory a finite set of data values; displaying a representation of each data value centred on respective data points; and generating and displaying one or more contour lines around each data point, each contour line representing data values which are less than the data value of the data  
25 point around which the contour line is displayed.

The invention in another form in broad terms comprises a data visualisation computer program which enables maintaining in an interaction database interaction data representing interactions between customers and merchants; retrieving from  
30 the interaction database data representing interactions between customers and merchants; constructing a finite set of data values from the retrieved data; displaying a graphical representation of at least one merchant; and superimposing a contoured representation of the data values on the graphical representation of the merchant, such that each data value is displayed as a local maximum.

35

## CLAIMS

1. A data visualisation system comprising:  
a data value memory in which is maintained a finite set of data values;  
5 a display arranged to display a representation of each data value centred on  
respective data points; and  
a contour generator arranged to generate and display a contoured  
representation around each data point such that each data point is displayed as a  
local maximum.  
10
2. A data visualisation system comprising:  
a data value memory in which is maintained a finite set of data values;  
a display arranged to display a representation of each data value centred on  
respective data points; and  
15 a contour generator arranged to generate and display one or more contour  
lines around each data point, each contour line representing data values which are  
less than the data value of the data point around which the contour line is displayed.
3. A data visualisation system as claimed in claim 1 or claim 2 further  
20 comprising:  
a memory in which is maintained an interaction database of interaction data  
representing interactions between customers and merchants; and  
a retrieval device arranged to retrieve from the interaction database data  
representing interactions between customers and merchants, to construct the finite  
25 set of data values from the retrieved data and to store the data values in the data  
value memory.
4. A data visualisation system comprising:  
a data value memory in which is maintained an interaction database of  
30 interaction data representing interactions between customers and merchants;  
a retrieval device arranged to retrieve from the interaction database data  
representing interactions between customers and merchants and to construct a finite  
set of data values from the retrieved data; and  
a display arranged to display a graphical representation of at least one  
35 merchant and to superimpose a contoured representation of the data values on the  
graphical representation of the merchant, such that each data value is displayed as a  
local maximum.

5. A data visualisation system as claimed in claim 3 or claim 4 wherein the merchant operates from one or more commercial premises, the display further arranged to display a graphical spatial representation of the premises of the merchant.
- 5
6. A data visualisation system as claimed in claim 5 wherein the merchant sells a range of products to customers, each product having a product code, the interaction data comprising a product code for each interaction.
- 10
7. A data visualisation system as claimed in claim 5 wherein the merchant operates a casino or gaming venue comprising one or more stations, each station having a station identifier, the interaction data comprising a station identifier for each interaction.
- 15
8. A data visualisation system as claimed in claim 5 wherein the merchant comprises a wagering or betting service provider, the interaction data comprising a merchant identifier and a monetary value for each interaction.
- 20
9. A data visualisation system as claimed in claim 5 wherein the merchant comprises a financial or insurance services provider comprising one or more business units, each business unit having a business unit identifier, the interaction data comprising a business unit identifier for each interaction.
- 25
10. A data visualisation system as claimed in claim 5 wherein the merchant provides reservation of products or services, the interaction data comprising a merchant identifier and the time of the interaction for each interaction.
- 30
11. A data visualisation system as claimed in claim 1 or claim 2 further comprising:
- 35
- a memory in which is maintained a manufacturing process database of data representing one or more manufacturing processes; and
- a retrieval device arranged to retrieve from the manufacturing process database data representing a manufacturing process, to construct the finite set of data values from the retrieved data and to store the data values in the data value memory.
12. A data visualisation system as claimed in claim 11 wherein the manufacturing process comprises one or more manufacturing stages, each stage

having a stage identifier, the interaction data comprising a stage identifier for each interaction.

13. A data visualisation system as claimed in claim 3 or claim 4 wherein the  
5 merchant comprises a telecommunications service provider operating a telecommunications network, the display further arranged to display a graphical spatial representation of a network or part of a network operated by a merchant.

14. A data visualisation system as claimed in claim 3 or claim 4 wherein the  
10 merchant operates from one or more web sites which are accessed by customers over a computer network, the display further arranged to display a graphical representation comprising a graphical web site map of a merchant.

15. A data visualisation system as claimed in any one of claims 3 to 14 wherein  
15 the display is further arranged to display a topological map showing the origin of customers in merchant customer interactions.

16. A data visualisation system as claimed in claim 1 or claim 2 further comprising:

20 a memory in which is maintained a sports database of data representing one or more sports events; and

a retrieval device arranged to retrieve from the sports database data representing a sports event, to construct the finite set of data values from the retrieved data and to store the data values in the data value memory.

25 17. A data visualisation system as claimed in claim 16 wherein the display is further arranged to display a graphical representation of a sports venue at which the sports event is held and to superimpose the contoured representation of the data values on the graphical representation of the sports venue.

30 18. A method of data visualisation comprising the steps of:  
maintaining in a data value memory a finite set of data values;  
displaying a representation of each data value centred on respective data points; and

35 generating and displaying a contoured representation around each data point such that each data point is displayed as a local maximum.

19. A method of data visualisation comprising the steps of:  
maintaining in a data value memory a finite set of data values;  
displaying a representation of each data value centred on respective data points; and  
5 generating and displaying one or more contour lines around each data point, each contour line representing data values which are less than the data value of the data point around which the contour line is displayed.
20. A method of data visualisation as claimed in claim 18 or claim 19 further comprising the steps of:  
10 maintaining in a memory an interaction database of interaction data representing interactions between customers and merchants;  
retrieving from the interaction database data representing interactions between customers and merchants;  
15 constructing the finite set of data values from the retrieved data; and storing the data values in the data value memory.
21. A method of data visualisation comprising the steps of:  
maintaining in an interaction database interaction data representing  
20 interactions between customers and merchants;  
retrieving from the interaction database data representing interactions between customers and merchants;  
constructing a finite set of data values from the retrieved data;  
displaying a graphical representation of at least one merchant; and  
25 superimposing a contoured representation of the data values on the graphical representation of the merchant, such that each data value is displayed as a local maximum.
22. A method of data visualisation as claimed in claim 20 or claim 21 wherein  
30 the merchant operates from one or more commercial premises, the method further comprising the step of displaying a graphical spatial representation of the premises of the merchant.
23. A method of data visualisation as claimed in claim 22 wherein the merchant  
35 sells a range of products to customers, each product having a product code, the interaction data comprising a product code for each interaction.

24. A method of data visualisation as claimed in claim 22 wherein the merchant operates a casino or gaming venue comprising one or more stations, each station having a station identifier, the interaction data comprising a station identifier for each interaction.

5

25. A method of data visualisation as claimed in claim 22 wherein the merchant comprises a wagering or betting service provider, the interaction data comprising a merchant identifier and a monetary value for each interaction.

10

26. A method of data visualisation as claimed in claim 22 wherein the merchant comprising a financial or insurance services provider comprising one or more business units, each business unit having a business unit identifier, the interaction data comprising a business unit identifier for each interaction.

15

27. A method of data visualisation as claimed in claim 22 wherein the merchant provides reservation of products or services, the interaction data comprising a merchant identifier and the time of the interaction for each interaction.

20

28. A method of data visualisation as claimed in claim 18 or claim 19 further comprising the steps of:

maintaining in a memory a manufacturing process database of data representing one or more manufacturing processes;

retrieving from the manufacturing process database data representing a manufacturing process;

25

constructing the finite set of data values from the retrieved data; and  
storing the data values in the data value memory.

30

29. A method of data visualisation as claimed in claim 28 wherein the manufacturing process comprises one or more manufacturing stages, each stage having a stage identifier, the interaction data comprising a stage identifier for each interaction.

35

30. A method of data visualisation as claimed in claim 20 or claim 21 wherein the merchant comprises a telecommunications service provider operating a telecommunications network, the method further comprising the step of displaying a graphical spatial representation of a network or part of a network operated by a merchant.

31. A method of data visualisation as claimed in claim 20 or claim 21 wherein the merchant operates from one or more websites which are accessed by customers over a computer network, the method further comprising the step of displaying a graphical representation comprising a graphical web site map of a merchant.
- 5 32. A method of data visualisation as claimed in any one of claims 20 to 31 further comprising the step of displaying a topographical map showing the origin of customers in merchant customer interactions.
- 10 33. A method of data visualisation as claimed in claim 18 or claim 19 further comprising the steps of:  
maintaining in a memory a sports database of data representing one or more sports events;  
retrieving from the sports database data representing a sports event;  
15 constructing the finite set of data values from the retrieved data; and  
storing the data values in the data value memory.
34. A method of data visualisation as claimed in claim 33 further comprising the steps of:  
20 displaying a graphical representation of a sports venue at which the sports event is held; and  
superimposing the contoured representation of the data values on the graphical representation of the sports venue.
- 25 35. A method of data visualisation as claimed in any one of claims 18 to 34 implemented on a computer.
36. A data visualisation computer program which enables:  
maintaining in a data memory a finite set of data values;  
30 displaying a representation of each data value centred on respective data points; and  
generating and displaying a contoured representation around each data point such that each data point is displayed as a local maximum.

37. A data visualisation computer program which enables:  
maintaining in a data memory a finite set of data values;  
displaying a representation of each data value centred on respective data  
points; and  
5 generating and displaying one or more contour lines around each data point,  
each contour line representing data values which are less than the data value of the  
data point around which the contour line is displayed.
38. A data visualisation computer program as claimed in claim 36 or claim 37  
10 which further enables:  
maintaining in a memory an interaction database of interaction data  
representing interactions between customers and merchants;  
retrieving from the interaction database data representing interactions  
between customers and merchants;  
15 constructing the finite set of data values from the retrieved data; and  
storing the data values in the data value memory.
39. A data visualisation computer program which enables:  
maintaining in an interaction database interaction data representing  
20 interactions between customers and merchants;  
retrieving from the interaction database data representing interactions  
between customers and merchants;  
constructing a finite set of data values from the retrieved data;  
displaying a graphical representation of at least one merchant; and  
25 superimposing a contoured representation of the data values on the  
graphical representation of the merchant, such that each data value is displayed as a  
local maximum.
40. A data visualisation computer program as claimed in claim 38 or claim 39  
30 wherein the merchant operates from one or more commercial premises, the program  
displaying a graphical spatial representation of the premises of the merchant.
41. A data visualisation computer program as claimed in claim 40 wherein the  
merchant sells a range of products to customers, each product having a product  
35 code, the interaction data comprising a product code for each interaction.

42. A data visualisation computer program as claimed in claim 40 wherein the merchant operates a casino or gaming venue comprising one or more stations, each station having a station identifier, the interaction data comprising a station identifier for each interaction.

5

43. A data visualisation computer program as claimed in claim 40 wherein the merchant comprises a wagering or betting service provider, the interaction data comprising a merchant identifier and a monetary value for each interaction.

10 44. A data visualisation computer program as claimed in claim 40 wherein the merchant comprises a financial or insurance services provider comprising one or more business units, each business unit having a business unit identifier, the interaction data comprising a business unit identifier for each interaction.

15 45. A data visualisation computer program as claimed in claim 40 wherein the merchant provides reservation of products or services, the interaction data comprising a merchant identifier and the time of the interaction for each interaction.

20 46. A data visualisation computer program as claimed in claim 36 or claim 37 which further enables:

maintaining in a memory a manufacturing process database of data representing one or more manufacturing processes;

retrieving from the manufacturing process database data representing a manufacturing process;

25 constructing the finite set of data values from the retrieved data; and storing the data values in the data value memory.

30 47. A data visualisation computer program as claimed in claim 46 wherein the manufacturing process comprises one or more manufacturing stages, each stage having a stage identifier, the interaction data comprising a stage identifier for each interaction.

35 48. A data visualisation computer program as claimed in claim 38 or claim 39 wherein the merchant comprises a telecommunications service provider operating a telecommunications network, the program displaying a graphical spatial representation of a network or part of a network operated by a merchant.

49. A data visualisation computer program as claimed in claim 38 or claim 39 wherein the merchant operates from one or more web sites which are accessed by customers over a computer network, the program displaying a graphical representation comprising a graphical web site map of a merchant.

5

50. A data visualisation computer program as claimed in any one of claims 38 to 49 which enables displaying a topographical map showing the origin of customers in merchant customer interactions.

10 51. A data visualisation computer program as claimed in claim 36 or claim 37 which further enables:

maintaining in a memory a sports database of data representing one or more sports events;

retrieving from the sports database data representing a sports event;

15 constructing the finite set of data values from the retrieved data; and

storing the data values in the data value memory.

52. A data visualisation computer program as claimed in claim 51 which further enables:

20 displaying a graphical representation of a sports venue at which the sports event is held; and

superimposing the contoured representation of the data values on the graphical representation of the sports venue.

25 53. A data visualisation computer program as claimed in any one of claims 36 to 52 embodied on a computer-readable medium.

09674469  
5060

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
21 December 2000 (21.12.2000)

PCT

(10) International Publication Number  
**WO 00/77682 A1**

(51) International Patent Classification<sup>7</sup>: G06F 17/30,  
17/60

Level 16, Compudigm House, 49 Boulcott Street, Wellington (NZ).

(21) International Application Number: PCT/NZ00/00099

(22) International Filing Date: 14 June 2000 (14.06.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
336257 14 June 1999 (14.06.1999) NZ  
503480 20 March 2000 (20.03.2000) NZ  
504315 3 May 2000 (03.05.2000) NZ  
504589 17 May 2000 (17.05.2000) NZ


(71) Applicant (for all designated States except US): COM-  
PUDIGM INTERNATIONAL LIMITED [NZ/NZ];

(72) Inventors; and

(75) Inventors/Applicants (for US only): CARDNO, Andrew, John [NZ/NZ]; Level 16, Compudigm House, 49 Boulcott Street, Wellington (NZ). SOPER, Craig, Ivan [NZ/NZ]; Level 16, Compudigm House, 49 Boulcott Street, Wellington (NZ). MULGAN, Nicholas, John [NZ/NZ]; Level 16, Compudigm House, 49 Boulcott Street, Wellington (NZ). RYAN, Patrick, Nicholas [NZ/NZ]; Level 16, Compudigm House, 49 Boulcott Street, Wellington (NZ). CARDNO, Paul, Allan [NZ/NZ]; Level 16, Compudigm House, 49 Boulcott Street, Wellington (NZ). MAHN, Andreas [DE/NZ]; Level 16, Compudigm House, 49 Boulcott Street, Wellington (NZ). KAUFMANN, Nicole [DE/NZ]; Level 16, Compudigm House, 49 Boulcott Street, Wellington (NZ).

[Continued on next page]

(54) Title: DATA VISUALISATION SYSTEM AND METHOD



(57) Abstract: The invention provides a data visualisation system comprising a data value memory in which is maintained a finite set of data values and display means arranged to display a contoured representation (100). One or more of the data values are displayed as contours around one or more data points (106, 104) and each data value is centred on a data point. The invention also provides a method of data visualisation and a data visualisation computer program.



WO 00/77682 A1



(74) **Agents:** BENNETT, Michael, Roy et al.; West-Walker Bennett, Mobil on the Park, 157 Lambton Quay, Wellington (NZ).

patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(81) **Designated States (national):** AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

**Published:**

- *With international search report.*
- *Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.*

(84) **Designated States (regional):** ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## **DATA VISUALISATION SYSTEM AND METHOD**

### **FIELD OF INVENTION**

5 The invention relates to a data visualisation system and method.

### **BACKGROUND TO INVENTION**

10 The low cost of data storage hardware has led to the collection of large volumes of data. Merchants, for example, generate and collect large volumes of data during the course of their business. To compete effectively, it is necessary for a merchant to be able to identify and use information hidden in the collected data. This data could include shop floor sales, and where the merchant operates a website, the use that is made of a website may also be collected. The task of identifying this hidden  
15 information has proved very difficult for merchants.

It is also important for other individuals and organisations to analyse stored data. Each time a game of sport is played, there is generally a large volume of data collected. For example, a game of rugby union generates statistics such as total  
20 number of points scored, the number of tries scored and the number of tries scored which are then converted. There is an increasing trend toward analysis of collected data with a view to analysing opponent strategies and as a coaching aid in assessing the strengths and weaknesses of a particular team. It is also especially desirable with televised sports to present the collected data to spectators in a form which is  
25 easily interpreted.

Traditionally, analysis of data has been achieved by running a query on a set of data records stored in a database. The merchant or other party first creates a hypothesis, converts this hypothesis to a query, runs the query on the database, and interprets  
30 the results obtained with respect to the original hypothesis.

One disadvantage of this verification-driven hypothesis approach is that the merchant must form the desired hypothesis in advance. This is merely confirming what the merchant already suspects and does not provide the merchant with  
35 information which may be unexpected. Another disadvantage is that the merchant needs to have available the technical knowledge to formulate the appropriate queries.

**SUMMARY OF INVENTION**

In broad terms in one form the invention comprises a data visualisation system comprising a data value memory in which is maintained a finite set of data values; and display means arranged to display a contoured representation wherein one or more of the data values are displayed as contours around one or more data points, each data value centred on a data point.

In another form in broad terms the invention comprises a method of data visualisation comprising the steps of: maintaining in a data value memory a finite set of data values; and displaying a contoured representation wherein one or more of the data values are displayed as contours around one or more data points, each data value centred on a data point.

In another form in broad terms the invention comprises a data visualisation computer program comprising a finite set of data values maintained in a data value memory; and display means arranged to display a contoured representation wherein one or more of the data values are displayed as contours around one or more data points, each data value centred on a data point.

20

**BRIEF DESCRIPTION OF THE FIGURES**

Preferred forms of the data visualisation system and method will now be described with reference to the accompanying figures in which:

5

Figure 1 shows a block diagram of a system in which one form of the invention may be implemented;

10

Figure 2 shows the preferred system architecture of hardware on which the present invention may be implemented;

Figure 3 is a preferred representation generated in accordance with the invention;

15

Figure 4 is one view of a data point from the presentation of Figure 3;

Figure 5 is a further view of the data point of Figure 4;

Figure 6 is a flowchart of a preferred form of the invention;

20

Figure 7 is another preferred representation generated in accordance with the invention;

25

Figure 8 shows a block diagram of a system in which another form of the invention may be implemented;

Figures 9 and 10 show preferred form representations generated in accordance with the invention;

30

Figures 11 to 15 show preferred form representations based on aggregated data values;

Figures 16 to 20 show preferred form representations based on distributed data values;

35

Figures 21 to 24 show preferred form representations showing directional information of data values relative to each other;

Figure 25 shows a block diagram of a system in which another form of the invention may be implemented;

5 Figure 26 shows a typical representation generated and displayed by the invention showing a customer provenance map and merchant store representation;

Figure 27 shows a further preferred form representation generated and displayed by the invention showing the site map of a merchant web site;

10 Figure 28 shows the representation of Figure 27 configured to identify traffic flow;

Figure 29 shows a web site usage profile generated and displayed by the invention;

15 Figure 30 shows a preferred form representation generated and displayed by the invention where the merchant provides financial services;

Figure 31 is another preferred form representation where the merchant provides financial services;

20 Figure 32 shows a preferred form representation generated and displayed by the invention where the merchant provides insurance services;

Figure 33 shows a preferred form representation generated and displayed by the invention for a manufacturing process;

25 Figure 34 is a preferred form database schema for representing sports data;

Figure 35 shows a preferred form representation generated and displayed by the invention involving sports data;

30 Figures 36 to 38 show further preferred form representations involving sports data;

Figure 39 is one preferred method of sports data acquisition; and

35 Figure 40 is a further preferred form representation generated and displayed by the invention involving carpark operations.

**DETAILED DESCRIPTION OF PREFERRED FORMS**

Figure 1 illustrates a block diagram of the preferred system in which one form of the present invention 12 may be implemented. The system includes one or more clients 5 20, for example 20A, 20B, 20C, 20D, 20E and 20F, which each may comprise a personal computer or workstation described below. Each client 20 is interfaced to the invention 12 as shown in Figure 1. Each client 20 could be connected directly to the invention 12, could be connected through a local area network or LAN, or could be connected through the Internet.

10

Clients 20A and 20B, for example, are connected to a network 22, such as a local area network or LAN. The network 22 could be connected to a suitable network server 24 and communicate with the invention 12 as shown. Client 20C is shown connected directly to the invention 12. Clients 20D, 20E and 20F are shown 15 connected to the invention 12 through the Internet 26. Client 20D is shown as connected to the Internet 26 with a dial-up connection and clients 20E and 20F are shown connected to a network 28 such as a local area network or LAN, with the network 28 connected to a suitable network server 30.

20

The preferred system 10 further comprises a data repository 40, for example a data warehouse maintained in a memory. It is envisaged that the data repository may alternatively comprise a single database, a collection of databases, or a data mart. The preferred data repository 40 includes data from a variety of sources. The data repository may include, for example, interaction data 42 representing interactions 25 between customers and merchants as will be more particularly described below. The data repository may also include data from other sources for example census data 44, scan data 46 obtained from scanning bar-codes on products, data from merchant customer databases 48, data from merchant loyalty programmes 50 and/or promotion data 52 held by a merchant or other organisation.

30

One preferred form of the invention 12 comprises a personal computer or workstation operating under the control of appropriate operating and application software having a data memory 60 connected to a server 62. The invention is arranged to retrieve data from the data repository 40, process the data with the 35 server 62 and to display the data on a client workstation 20, as will be described below.

Figure 2 shows the preferred system architecture of a client 20 or invention 12. The computer system 70 typically comprises a central processor 72, a main memory 74 for example RAM and an input/output controller 76. The computer system 70 also comprises peripherals such as a keyboard 78, a pointing device 80 for example a mouse, a display or screen device 82, a mass storage memory 84 for example a hard disk, floppy disk or optical disc, and an output device 86 for example a printer. The system 70 could also include a network interface card or controller 88 and/or a modem 90. The individual components of the system 70 could communicate through a system bus 92.

It is envisaged that the invention have a wide area of application and the nature and format of the data stored in the data repository 40 will be different for each application. Different applications of the invention are set out below. In each case, the invention 12 is arranged to display a contoured representation of data on a screen display of a client workstation 20.

Figure 3 illustrates at 100 one example of a display generated by the system where the merchant operates a casino or similar gaming venue. In this example, a representation of the merchant is generated and displayed. The graphical representation comprises a spatial representation of an area of the casino showing the layout of individual gaming machines and stations, two of which are indicated at 102 and 104 respectively. It will be appreciated that the particular representation generated will be varied according to the nature of the data represented, as will be described below.

The representation 100 is arranged to display the revenue obtained from an individual gaming machine. The revenue for each machine is preferably graphically represented adjacent or near to the representation of the individual machine. There are a finite number of machines in the casino, and the individual revenues generated from each machine represent a finite set of data values. These data values are graphically illustrated as data points in the representation 100. For example, the revenue or data value for machine 102 is graphically illustrated as data point 106 and the data value or revenue for machine 104 is graphically illustrated as data point 108.

The preferred representation 100 is colour coded and the value of revenue of each machine is illustrated by representing the corresponding data points in the appropriate colour to represent the correct value of revenue of each machine.

The areas of the representation 100 around each data point are shown as contours. The nature of the contours for each data point are preferably represented to gradually drop off or fall away from each data point. Each data point could be represented by X and Y co-ordinates indicating the relative position of each data point in the representation. Each data point could also have a Z value representing the height or magnitude of the data point. This Z value could indicate, for example, the revenue or data value at a particular data point. Each data value is therefore centred on a data point.

Figure 4 illustrates a typical data point, for example data point 106. The data value of the data point represents the apex of a bell-shaped curve. As X and Y values in the representation 100 are increased or decreased, the Z value at the new position in the representation will change.

Referring to Figure 5, data point 106 has an axis 110 and a maximum value at that axis. At a distance  $r$  from the axis 110, the drop in Z value is preferably calculated by the following drop-off function:

$$f(r) = \frac{1}{1 + \left(\frac{r}{a}\right)^p}$$

The value of  $p$  is preferably 2 or 3. As the value of  $p$  is increased, the data point is represented having a steeper shoulder and a flatter peak with steeper walls.

The value of  $a$  defines the horizontal distance between the axis 110 and the point of maximum drop-off of the resulting curve, which in practice defines the width of the contoured "hill". The value of  $a$  could be, for example, the point of "half height" of the value. Small values of  $a$  will result in fine detail in a contoured representation and larger values of  $a$  will result in a less detailed representation.

Figure 6 illustrates the preferred method of operation of the invention 12. As shown at 120, data is retrieved from the data repository 40 using a suitable query. The retrieved data could include data representing interactions between customers and merchants, where this data is stored in the data repository 40. The retrieved data could include the revenue generated by a set of gaming machines over a specified period.

As shown at 122, a set of data values is constructed from the retrieved data. This set of data values could include for example, revenue values generated by a set of gaming machines over a trading period.

5

It is envisaged that the set of data values could be stored in data value memory 60 to increase efficiency of the system as indicated at 124, which could comprise volatile main RAM or non-volatile mass storage of the work station on which the invention 12 is implemented.

10

Referring to step 126, the set of data values are retrieved from the volatile or non-volatile data memory and as shown at 128, a set of data points is constructed to represent the data values. Appropriate X and Y values are generated for each data point to space the data points over a generated representation. Z values for each data point are also calculated based on individual data values.

15

Referring to step 130, a contoured representation of the data values is generated and displayed on a client workstation 20. The individual drop-off for each data point is calculated and displayed in the appropriate colour and shading corresponding to the Z value at each point.

20

It is envisaged that the invention generate individual displays of contoured representations. It is also envisaged that the invention generate animated sequences of representations by generating two or more "still" representations at various time intervals and superimposing successive representations over earlier representations to generate an animated sequence.

25

As indicated at 132, where such an animated sequence is required, further representations will be needed and if the necessary data is obtainable from the data memory as indicated at 134, it is retrieved from the data memory as indicated at 126, otherwise further data is retrieved from the data repository at 120.

30

In one form the invention is arranged to display data representing interactions between customers and merchants. Typically, a merchant will operate in a commercial premises or store from which a customer purchases goods or services. The merchant may, for example, operate a petrol station in one or more geographic locations. The merchant may alternatively operate a wagering or betting service, or operate a casino or other gaming facility in which a number of gaming machines and

35

stations are positioned in one or more rooms at a common venue. The merchant may also operate a warehouse facility, manufacturing facility, car parking premises, telecommunications network or web site. The merchant may also offer a range of financial or insurance services.

5

The merchant does not necessarily need to operate from a commercial premises or store. For example, the merchant may operate from strategically placed machines for example vending machines or amusement machines. The merchant may also operate a mail order catalogue service, direct market goods or services, or operate from a website or other electronic medium. It will be appreciated that the nature of business of a merchant includes a wide range of activities.

As a customer interacts with a merchant, the interaction generates interaction data which is then migrated to the data repository 40. The interaction data could be stored in a number of records in a relational database. Each record may include a merchant identifier used to identify a particular merchant, and where a merchant operates from more than one geographic location, the merchant identifier or some other identifier included in the record may identify the geographic location in which the interaction occurs.

20

The record could also include a customer identifier. The merchant may, for example, issue an incentive-supported customer loyalty card which is then used by the customer during interactions with the merchant. The loyalty card preferably has stored on it a customer identifier and may have stored other data, for example residential address and family size of the customer. Such data is stored in loyalty programme database 50 and could be migrated to the data repository 40.

Where the merchant operates retail premises, the merchant may have installed apparatus for reading the bar codes of products sold. Alternatively, each product may be identified by a code assigned by the merchant which is recorded at the time of sale. Such data is stored in a scan database 46 and could be migrated to the data repository 40. In this way, the record may also include a suitable goods or services identifier, for example a product or service code to identify which goods or services were involved in the interaction.

35

The record may also include data such as the date and/or time at which the interaction between the customer and merchant took place and/or the cash value of the transaction.

The interaction data is migrated to the data repository 40, generally by way of daily updates or in real time. It is advantageous to cleanse, catalogue and validate the interaction data during migration of the data to the data repository, and this task  
5 could be performed by either the merchant or by a third party. Once stored in the data repository 40, the data could be linked to other sources of data for subsequent retrieval, for example the census data 44, scan data 46, data from the merchant customer database 48, data from a merchant loyalty programme 50 and/or promotion data 52 held by the merchant.

10

The data repository 40 could be maintained by a merchant or alternatively could be maintained by a third party. Updates to the data repository could be carried out by the merchant directly, or alternatively the merchant could provide batched data to a third party for updating the data. Alternatively, a third party could be entrusted with  
15 the task of collecting the interaction data and migrating the data to the data repository.

Referring to Figure 7, a graphical representation of a merchant is generated and is displayed on the screen display of a client workstation 20. Where a merchant  
20 operates from a retail store, the graphical representation could include a graphical spatial representation of the store 200. The graphical representation 200 could show the position of the door 202, service counter and cash register 204, and a number of shelves 206 on which products are displayed. Where the merchant operates from two or more retail stores, the graphical representation could include spatial  
25 representations of each store and could also include a large scale map of the geographical area in which the merchant's stores are located.

Where a merchant operates a casino or similar gaming venue, the graphical representation could include a spatial representation of each individual room in the  
30 casino showing the layout of individual gaming machines and stations. The representation could also include a large scale representation of the entire premises showing smaller representations of individual rooms.

It will be appreciated that where a merchant operates a warehouse, the  
35 representations could show the layout of various goods stored by the merchant. Where the merchant provides services for example financial services, the representations could include schematic representations of the different areas of services offered by the merchant.

The invention is arranged to superimpose a representation of the data retrieved from the data repository 40 on the representation of the premises of the merchant. As shown in Figure 7, the invention displays a representation of sales occurring during a predetermined period. Net revenue is indicated at 208 during the period and turnover during the same period is indicated at 210.

The preferred representation 200 is arranged to display to a user a number of key performance indicators (KPIs) in addition to or as an alternative to revenue and turnover. These KPIs may include, for example, sales, gross profit, net profit, gross margin return on inventory investment (GMROI), net margin return on inventory investment (NMROI), return on net asset (RONA), and/or loyalty sales data.

The preferred representation displays a contoured representation of a set of data values. The set of data values could comprise sales figures for individual products, gross profit on individual products, and so on. Each product group is represented as an individual data point and a contoured representation centred on each data point is generated. Data point 212, for example, represents tobacco sales and the data point is positioned adjacent the location of tobacco products in the store indicated at 214.

As described above, the invention could generate individual still representations such as that shown in Figure 7. Alternatively, the invention could generate a series of representations at time intervals, for example hourly time intervals. By overlaying subsequent representations over earlier representations, the rate at which data values such as net revenue or turnover change over a time period can be observed, and customer buying patterns are readily apparent.

The system may also overlay text over the spatial representation. For example, different shelves in the store or different products on the shelves may be identified by labels. Other labels could include the product selling price, product sales during the proceeding hour, or other information meaningful to the user.

A merchant operating a service station, for example, may identify from the above representations the periods in which sales of pies and other hot food is highest. By keeping warmers and shelves stocked in advance of these peak periods, the merchant can meet the demand of customers and reduce wastage.

The same merchant may also observe from the representations that sales of newspapers follow a similar pattern to sales of stamps. This may indicate to the merchant that sales of newspapers are correlated to sales of stamps. By positioning newspapers and stamps in close proximity to each other within the store, the merchant could increase sales of both products.

A merchant could initiate a promotional campaign in relation to a particular product and then identify the effectiveness of the campaign by viewing the representations generated by the system.

10

In another form of the invention, the merchant could comprise a telecommunications service provider operating a telecommunications network. The flexibility of mobile phones, their reducing cost, and the wide coverage now available has resulted in rapid growth in mobile phone use in many countries. A mobile phone user communicates with another mobile phone user by linking into a mobile phone network operated by the merchant. Mobile phone networks typically comprise one or more mobile phone sites which are small low powered radio transmitting and receiving stations. Each mobile site services a limited geographic area known as a cell. Each mobile site can only service a finite number of calls at any one time.

20

When a mobile phone is powered up, it generally searches for the strongest signal from a mobile site. The mobile phone is then registered as being located within the cell covered by that mobile site. When a mobile phone user leaves one cell and enters another, the new site covering the new cell takes over the phone call, enabling the communication to be maintained. This procedure is often referred to as "handover".

Referring to Figure 8, the merchant's cellular network comprises one or more fixed mobile phone sites 300, for example 300A, 300B, 300C and 300D. Each site 300 preferably comprises a small low powered radio transmitting and receiving station or antenna which links a mobile phone user into the merchant's mobile phone network to connect or attempt to connect mobile phone users with each other.

The merchant may also operate movable sites, for example 302 which in turn could comprise omni-directional antennae mounted on trucks. Groups of sites 300 and 302 are preferably controlled by one or more base station controllers 304, for example 304A and 304B. Each controller is arranged to activate or deactivate individual sites as required and is also arranged to compile data representing the

capacity and usage of individual sites. Each fixed site 300 and movable site 302 are preferably reconfigurable and connections between the sites and each controller 304 are also reconfigurable so that the merchant can activate or deactivate specific sites to reduce gaps in coverage, to reduce interference between sites, and to follow the demand around.

Data representing interactions between merchants and customers is preferably transferred by the base station controllers 304 to the data repository 40. Data is then retrieved from the data repository and processed with the server 62 in the manner described above. Preferably the data undergoes data staging where the data is scrubbed and/or cleaned and errors or anomalies are corrected.

The resulting data stored in the data repository 40 typically comprises one or more records. Each record may include, for example, a merchant identifier, a customer identifier, a cell and/or site identifier and other data such as the date and/or time at which the interaction between the customer and merchant took place.

The data may also include values of one or more key performance indicators or KPIs. Typical KPIs could include network capacity, the percentage of capacity used, call volume, average length of current calls and/or instances and rates of connection failure.

The data is preferably migrated to the data repository 40 by way of regular updates or in real time. The data repository could be maintained by a merchant or alternatively could be maintained by a third party. Updates to the data repository could be carried out by the merchant directly, or alternatively the merchant could provide batched data to a third party for updating the data repository. Alternatively, a third party could be entrusted with the task of collecting the interaction data from the base station controllers 304 and migrating the data to the data repository.

As described above, the data is displayed on a client workstation 20, preferably as a graphic representation of the data. Where the merchant operates a telecommunications network, the graphical representation could include a graphical spatial representation of the network represented by a collection of mobile sites, each site serving a geographic area or cell.

Figure 9 illustrates a typical graphical spatial representation 320 of the merchant. Site or cell locations are indicated for example at 310 and 312. The representation

also shows one preferred form representation of the data retrieved from the data repository. The representation 320 preferably includes a series of contours representing the values of one or more key performance indicators or KPIs. The preferred representation 320 is arranged as contour lines around the site or cell locations in the spatial representation of the merchant.

In some circumstances, it is desirable to combine or aggregate customer interactions among two or more cells. Data relating to separate cells is often combined prior to or during data capture, resulting in the loss of some data. In these cases, it may be desirable to aggregate two or more cells. One preferred form aggregation method includes combining interactions involving cells 310, 312, 314, 316 and 318. The representation 320 is generated from a single data point located at cell 318.

An alternative representation 330 is illustrated in Figure 10. The KPI values of cells 310, 312, 314, 316 and 318 are aggregated and the average KPI value of these sites is then calculated. Contoured representation 330 is generated from a set of 5 data points, each data point centred on a respective site. Each data point has the average or mean value of the set of sites 310, 312, 314, 316 and 318.

Further preferred representations for displaying aggregated KPI site values are described with reference to Figures 11 to 15. In each case, the system is arranged to show part of a merchant's network, particularly the part of the network in use by customers located at a particular venue, for example a sports event.

Figure 11 illustrates a contoured representation 340 generated by aggregating all site values over an area indicated by outline 342. The representation 340 could be generated from a single data point located at 344.

As shown at Figure 12, in one preferred form of contoured representation 350, the representation could be generated from a single data point 352 representing the aggregate of individual sites located within the area shown in the representation 350. The representation 350 may identify the individual sites which are being aggregated by displaying lines 354 radiating from data point 352 to the position of each individual site.

Referring to Figure 13, the representation 360 could include outline 362 of the area over which the aggregation has taken place. The preferred representation 360 is generated as a function of a single central data point 364. The representation may

also include a schematic view of a venue, for example a sports station or sports field as indicated at 366.

Referring to Figure 14, a preferred form representation 370 could include an outline of a venue 372, a central data point 374, lines 376 radiating from a central point 374 to each site, and a schematic representation of the venue indicated at 378.

As shown in Figure 15, the system may display representation 380 showing a simplified representation of the data. By clicking "zoom box" 382, the user could be presented with a more detailed view of the data, for example the views shown in Figures 11 to 14.

Figures 16 to 20 illustrate preferred forms of representations showing individual cell sites and connections between cell sites. Representations could include for example the skeleton shown in Figure 16, a "no new point" skeleton shown in Figure 17, a convex hull shown in Figure 18, a combination convex hull and skeleton shown in Figure 19, and "bones" shown in Figure 20. It will be appreciated that different arrangements of sites are more suitable for certain types of site coverage. For example, the convex hull shown in Figure 18 is particularly suitable for representing site coverage of a localised venue, for example a stadium, whereas the skeleton of Figure 16 could be more suited to showing cellphone coverage over a more diverse geographic area.

Further forms of preferred representations are described with reference to Figures 21 to 24. It may be desirable to display the aggregation of several sites from a single data point but yet maintain the ability to display differences between site locations.

Figure 21 illustrates one preferred form representation 390. The representation is generated from a single data point 392 which represents the aggregation of KPI values at three distinct cellphone sites. The positions of the sites are indicated by lines 394, 396 and 398, extending radially from data point 392 to each site.

Figure 22 shows a further preferred form representation 400 which is centred on single data point 392. The circular representation of Figure 21 is essentially stretched in Figure 22 along respective lines 394, 396 and 398, depending on the length of each line which in turn represents the position of each site.

A further preferred form representation 410 is shown in Figure 23, in which the contour lines representing the cellphone sites are each connected at central data point 392.

- 5 Alternatively as shown in Figure 24, representation 420 could be divided into sectors. The representation is centred around central data point 392 with lines 394, 396 and 398 radiating outward from the data point. Sector lines 422, 424 and 426 are positioned between pairs of adjacent lines, and the representation is generated between these sector lines. Each sector preferably has a radius calculated as a  
10 function of the length of individual lines 394, 396 and 398.

It will be appreciated that the contoured representations of the invention could be applied to various types of electronic communications. For example, the system could display representations of communications over an analog or digital cellular  
15 network, a land line such as a PSTN, a paging network or a satellite network. As is becoming increasingly common, the system could also be arranged to display data relating to digital communications, for example text messaging and Internet communications.

- 20 The telecommunication service provider often needs to ensure that there are no gaps in the signal from site to site to enable continuous coverage and service. On the other hand, the provider must also resolve interference between sites, particularly in urban areas. The provider must also ensure that there are sufficient sites and cells in each geographic area to handle instances of high demand, for example sports  
25 events. Instances of high demand can lead to connection failure, such as "congestion" where a customer cannot make a connection and "dropout" where a customer loses a connection during a call.

The invention provides a user-friendly system and method for the telecommunication  
30 service provider to analyse the capacity and usage of a network. The system enables a telecommunication service provider to monitor periods and areas of high demand to enable the provider to reconfigure a network to cope with such demand.

It is becoming increasingly common for merchants to operate websites as part of  
35 their business. Figure 25 illustrates a block diagram of the preferred Internet-based system 500 in which the present invention may be implemented. The system is similar to that of Figure 1 with the exception that the data repository 40 could be connected to the Internet 26. The system further comprises customer and merchant

- workstations. There could be one or more customers 510, for example customers 510A, 510B and 510C, which may each comprise a personal computer or workstation as described above. Each customer 510 is interfaced to the Internet 26. As shown in Figure 25, each customer 510 could be connected directly to the Internet as shown with 510C with a suitable dial-up connection or could be connected through a local area network or LAN as is the case with customers 510A and 510B which are connected to local area network or LAN 512 connected to a network server 514 and communicate with the Internet 26 as shown.
- 10 The system also includes one or more web servers 520, for example web server 520A and 520B. Each web server 520 is connected to the Internet 26 as shown. Each web server 520 preferably comprises a personal computer or workstation operating under the control of suitable software. Connected to web servers 520 are one or more merchant computers or workstations 530, for example merchant 530A, 530B and 530C. Two or more merchants could be connected to the same web server as is the case with merchant 530A and 530B both connected to web server 520A. Alternatively, merchant 530C, for example, could be connected to dedicated web server 520B.
- 20 The merchant 530 could include an individual, a company or organisation and will typically operate a website or other electronic medium through which customer 510 purchases goods or services. The merchant may alternatively operate an on-line casino, gambling or other gaming facility. The merchant could also offer transport and delivery, financial or banking services.
- 25 Customer 510 could include an individual, a company organisation. The customer could be a purchaser of goods or services from the merchant or could simply be visiting a web site operated by the merchant. An interaction between a customer 510 and a merchant 530 could be initiated by either the customer or by the merchant.
- 30 As the customer 510 interacts with merchant 530, the interaction generates interaction data which is collected and stored in data repository 40.
- Typical data records could include, for example, a merchant identifier. This merchant identifier could be used to identify a particular merchant and could comprise the universal resource locator (URL) of a web site operated by the merchant, or an Internet protocol (IP) address for the merchant.
- 35

The record could include a customer identifier. The customer identifier could include the IP address or other network address of the customer 510. The customer identifier could alternatively comprise a character string assigned to the customer by the merchant during a registration process with a facility for the customer to supply  
5 a user name and password to initiate an interaction in the known way.

The record could also include the universal resource locator (URL) of a web page visited by the customer 510 during an interaction. The record could include other the date and/or time at which the interaction between the customer and the  
10 merchant took place, the cash value of any transaction if applicable, and a goods/services identifier where a transaction has taken place. It is envisaged that each new URL visited by a customer, for example each new page visited in a merchant website, generates a new interaction record. By retrieving and storing these records by date and time, it is possible to calculate the number of customers  
15 visiting a particular web site and the average time spent viewing a particular web page or page cluster, as will be more particularly described below.

Figure 26 shows a typical representation generated by the system. The display could include a customer provenance window 600. The preferred customer provenance  
20 window displays a graphical spatial representation in the form of a topological map. The map is arranged to show the origin of customers interacting with a particular merchant. It will be appreciated that the scale of the map could be altered, depending on the customer base under consideration. The map could include a detailed map, such as that shown in Figure 26 showing suburbs in a particular city,  
25 could alternatively show individual cities in a particular country, or could be a global map showing all countries.

The interaction data from which the representation is obtained could include a customer origin identifier. Alternatively, customer origin data could be stored in one  
30 or more further databases and indexed by customer identifier.

It is envisaged that a customer provenance representation could be generated for any merchant customer application to which the system is applied. For example, the merchant could operate in a commercial premises or store, operate a wagering or  
35 betting service, a casino or other gaming facility, a car park, a telecommunications network or a website. The merchant could also offer a range of financial or insurance services. In each case the system could generate a customer provenance

representation. The customer provenance representation could be generated as an alternative to or in addition to the representation of the merchant.

5 The system may present the data to the user based on one of a number of key performance indicators, or KPIs which could include total sales, gross profit, net profit, gross margin return on inventory investment (GMROI), net margin return on inventory investment (NMROI), return on net asset (RONA), loyalty sales data, time spent viewing a particular website and/or a web page visitation percentage. Each representation could show, for example, a combination of a number of customers,  
10 the number of sales and gross profit, as is the case in Figure 26.

The preferred representation of data displays a particular value at a finite set of data points spaced over the representation, for example data points 602A, 602B, 602C, 602D, 602E, 602F and 602G. The value at each data point is preferably represented  
15 as a contoured representation, having a defined value centred on each data point with the values over the representation dropping away between data points. Data points with large values, for example 602E, are presented as higher peaks than data points with lower values, for example 602G.

20 The customer provenance map 600 as shown in Figure 26 illustrates that the customers contributing to the largest KPI values have a provenance or point from which they interact with a particular merchant which is centred on point 602E. Customers contributing to the lowest KPI values for the merchant have a provenance at point 602G. It will be readily inferred from such a representation that the most  
25 valued customers are based around point 602E.

Each interaction record generated by a merchant customer interaction could include a customer identifier. This customer identifier could be linked to a physical address, within the requirements of any privacy restrictions, provided to a merchant by a  
30 customer at the time of registration or log-on. Alternatively, a geographic location could be inferred from the interaction itself. For example, a customer workstation used by a customer may use a particular network or Internet address from which a country code or indicator could be extracted. This would at least provide customer provenance data to country level.

35

Referring to Figure 26, the system could also generate and display a representation of the merchant as indicated at 610. Where a merchant offers a range of goods or services, the representation 610 could comprise a graphical spatial representation of

a "virtual store" similar to the store described above with reference to Figure 7. The virtual store plan could show virtual positions of doors, service counters and shelves on which products are displayed. Where a merchant operates in a commercial premises or store in conjunction with a web site, it is envisaged that the representation 610 could comprise the actual graphical spatial representation of the store. Where a merchant operates from two or more retail stores, the graphical representation could include spatial representations of each store and could also include a large scale map of the geographic area in which the merchant's stores are located.

10

The representation 610 preferably shows distinct product types spaced over the representation. As described above, each interaction record may include a goods/services identifier which could identify a product type. Each product type or grouping in the representation could represent a data point which is contoured in the same way as the customer provenance map 600 described above. Typical store plan data points are indicated at 612A, 612B and 612C. KPI values at individual points 612A, 612B and 612C are displayed as peaks, and values of areas between these data points are shown as contours in the same way as that described above.

15

The display could also include a progress bar as indicated at 620. The progress bar 620 could include a time display 622 and date information for a particular visualisation. The presentation could also display one or more KPIs, for example the number of customers, number of sales and gross profit for a particular visualisation and also display totals, cumulative totals and cumulative percentages.

25

It is envisaged that the representation shown in Figure 26 could be presented to a user as a still image or as an animated visualisation or AVI. The time display 622 would show the user the progress of the AVI. It is also envisaged that the main screen could include progress bars indicated at 624 which present a sliding scale of cumulative KPI totals to a user as the animation progresses.

30

The system is preferably also arranged to display a graphical site map of a merchant's web site. Figure 27 illustrates one preferred form representation. Web site pages or page clusters are indicated, for example as boxes 630A, 630B, 630C, 630D, 630E and 630F. Each box is preferably shown with a page or page cluster number and a percentage representing the percentage of users visiting the web site who have viewed the particular page or page cluster. The user could also be

35

presented with a legend 632 for shading relating to particular percentage values of visitation for each web page or page cluster.

For example, 100% of users visiting the web site have visited the home page shown  
5 as 630A. Web page 630B, which is accessible from web page 630A, has been visited  
by 28% of customers who visited page 630A. Web page 630C, which is accessible  
from web page 630A, has been visited by 71% of users. By retrieving a set of records  
from the data repository 40 using a customer identifier as a key, and then sorting  
these records by date and time, the usage of a web site by an individual customer  
10 can be tracked and displayed in accordance with the invention.

In a preferred form, the representation shown in Figure 27 could have superimposed  
on it a representation of the data retrieved from the data repository in the form of a  
series of ripple contours, with those web pages attracting high usage being contoured  
15 as peaks. It will be appreciated that the KPI on which the representation is  
contoured could include any one or more of the KPIs discussed above, for example  
total sales, gross profit, net profit and the like.

Referring to Figure 28, the system may also be arranged to show traffic flow  
20 associated with a nominated page or page cluster. The user may be permitted to  
click for example on the representation of page 630D in the graphical representation  
shown to the user, causing this page to be highlighted. Contributing pages 630B  
and 630C are highlighted as are destination pages 630E and 630F. The remaining  
web pages are preferably greyed out. Customer traffic flow between web pages is  
25 preferably shown proportionally by the size of linking arrows. For example, the  
arrow linking web page 630B to 630D is thinner than the arrow linking web page  
630C to 630D, indicating that web traffic from web page 630C to 630D is greater  
than web traffic from web page 630B to 630D. It is envisaged that the colour of the  
arrows could also be varied to represent traffic flow.

30 The system is also preferably arranged to calculate and display web site usage  
patterns. By retrieving a set of records from the data repository 40 using a customer  
identifier as a key, and sorting the records by date and time, the system can  
calculate how long a particular customer spends viewing a particular web page or  
35 URL by calculating the difference in time between successive interaction records  
involving different web pages or URLs.

By compiling these usage patterns for individual customers, the system can develop and display a profile of site usage, for example as shown in Figure 29 in which a merchant operates a web site having four web pages or page clusters. These could include for example a front page or menu 640, a second web page 642 which elicits  
5 from the customer a customised shopping list, a third web page 644 providing delivery and/or payment options, and a fourth web page 646 arranged to display specials to a customer and permit the customer to select one or more of these specials.

10 The system may recognise several patterns in site usage. For example, a first pattern could comprise 31% of all users who spend between 5 and 20 seconds viewing web page 640 and then exit. In a second pattern, 12% of all users could spend between 3 and 10 seconds on web page 640, between 0.5 and 5 minutes on web page 642, between 10 and 25 seconds on web page 644 and then exit. Pattern three could  
15 comprise 7% of users who spend 3 to 10 seconds on web page 640, 1.5 to 3 minutes on web page 642, spend 3 to 12 minutes on web page 646, spend 10 to 20 seconds on web page 644 and then exit.

The system could recognise these patterns of repeated web page and page cluster  
20 visitation and usage. It could rank these patterns based on the percentage of web site visitors that the pattern includes, and display details such as the pattern percentage, the average time spent at each page or page cluster as indicated at 650, and the resultant KPIs of different usage patterns. The system could display, for example, a finite number of most common usage patterns, the number being defined  
25 by the user.

The system could also be arranged to record and display further patterns of use of particular web pages. It is envisaged that the data repository 40 could be arranged to store further interaction data, for example the areas of a web page from which a  
30 particular customer makes selections or into which a customer types data, the areas to which a mouse pointer operated by customer is tracked and clicked while in the web site, and also the URL(s) of the source web page visited by a customer prior to visiting the web page under consideration, known as the click source, and/or the destination web page visited by the customer after visiting the web page under  
35 consideration.

The system may also be arranged to perform customer loyalty and marketing functions. The user could be provided with several options for generating mailing

lists of web site users according to a particular criteria. For example, the system could generate a mailing list for those customers who have used the site, or those customers who fit a particular pattern of site usage as described above. The system could identify regular users of the site, calculate an approximate frequency of site usage, identify trends of increasing or decreasing usage across subsequent visits, and/or produce a list of those whose site usage changes for some reason. For example, the system could identify weekly shoppers who miss a week's order, customers who browse the "weekly specials" page, customers who have started to visit a particular web page after being included in a promotional mailout, and whether the customer is making purchases as a result. The system could also be arranged to assemble mailing lists of those users who make heavy usage of help pages.

The invention assists a merchant to examine data relating to customers visiting a web site operated by the merchant. The user may make sense of and obtain useful data and from this data may identify optimal ordering of web page links on a merchant web site and select the most desirable ordering and positioning of these links. The user may also identify correlations between sales of different goods or services and may also identify the effectiveness of loyalty programmes and other incentive schemes.

Banking organisations are one example of merchants who collect enormous quantities of data concerning all aspects of their business operations. A banking organisation may want to monitor automatic teller machines or ATM usage and servicing in a city, what types of transactions are happening at different times of the day, or to look at bank branch usage patterns to justify the branch's existence. When a banking organisation wishes to launch a product or service into a new market, it would be helpful for the bank to be able to get a reliable model of their potential market penetration, and the probable makeup of that penetration model.

Figure 30 illustrates one example of a display generated by the system for a merchant such as a banking organisation. One preferred representation includes a customer provenance window 700, which shows, for example, the location of double-income couples with no children. Suburbs with high numbers of these mortgages are shown as indicated at data points 702 and 704.

The representation may indicate to a user that there is a marked difference in concentration of such mortgages in different suburbs, even though demographic data

may show that these suburbs have similar demographic profiles. This would indicate to a user that a banking organisation has lower than expected penetration of a mortgage product in that particular suburb, thereby revealing a business opportunity. The representation shows that mortgage products have been sold more successfully to households in the suburb of East Uptown as indicated generally at 706 than in West Uptown as indicated generally at 708, despite the two suburbs having very similar demographic compositions. In this way, visualisation of a bank's customer base can be used in site analysis, whereby new sites are considered for opening branches or existing marginal sites require justification for continued operation, and for targeted marketing campaigns.

Figure 31 illustrates a further example of the display generated for a banking merchant. The representation 710 preferably comprises a floor plan of a bank branch including representations of different business units for example foreign exchange 712, tellers 714A and 714B, enquiries desk 716, manager's office 718, personal loans 720, fast-drop box 722 and ATM machine 724.

The representation 710 could be contoured on one of a number of KPIs. One KPI could be gross turnover which would indicate how each business unit is performing. Contouring on other types of transactions would show the different types of transactions which tend to occur at different times of the day. This would enable a banking merchant to measure the performance of different business units and branches and match specialist staff more closely to a bank customer's business needs.

It is envisaged that the invention will also have application for insurance companies. An insurance company may wish to review its business performance data, for example to assess a potential client's risk or to review premium levels. If the insurance company wishes to launch a product or service into a new market, it would be useful to be able to get a reliable model of the insurance company's potential market penetration, and the probable makeup of that penetration model.

The system could generate a visualisation showing a contoured representation depicting some KPI, for example the number or value of claims or the cost to the company. For example, the company could create a visualisation with various burglary statistics contoured on it, with concentrations of burglaries displayed as red "hot spots", and areas that suffer few or no burglaries being contoured in a neutral colour. The insurance company could use the summary information in the

visualisation to help assess the risk of providing home and contents insurance to customers living in those areas.

5 The system could visualise how different events have impacted on profits, insurance claims or uptake of products. For example, an event such as an advertising campaign that is promoted in a particular region, or a shift in police focus towards investigating more burglaries or arsons would impact upon the company profitability. The impact of these events could be summarised in a contoured visualisation.

10 The system could show uptake of the merchant's services and products, and visualise the results of in-depth marketing, queries and analyses. For example, the system could produce a visualisation of those customers who started policies and soon afterwards made insurance claims, or how changes to services for example police or fire service coverage, have impacted on uptake of products or claims on  
15 policies.

Referring to Figure 32, the system could show a customer provenance map 750 of customers who have made claims on their home and contents insurance during a certain period, with the size of the claim contoured as a data value. Data points  
20 indicated at 752 and 754 indicate high numbers and values of claims in certain areas.

It is also envisaged that the system perform and visualise predictive modelling of the potential penetration into a new market, based on the demographics of the  
25 merchant's existing customer base. This is achieved by evaluating the demographic makeup of the existing customer base, assessing the demographic makeup of the new market, and extrapolating the data to produce the estimate. For example, if 15% of young men with a job who own a car worth between \$5,000 and \$8,000 currently insure their car with the merchant insurance company, then in the new  
30 market about 15% of young men with the same profile are likely to insure their car with the insurance company.

Another area of application of the system is in the analysis of manufacturing operations. Manufacturers require their facilities to be at capacity usage in order to  
35 maximise the return on investment in their business. For any process in manufacturing, a delay or bottleneck at some point in that process will hamper subsequent stages and lower the efficiency of the whole operation. It would be beneficial to enable a manufacturer to summarise and monitor the entire and/or

particular aspects of a manufacturing operation, to ensure that the operation is working to capacity at all times.

5 Figure 33 illustrates one example of a visualisation based on the layout of a manufacturing or other workspace. The representation 800 illustrates the various stages involved in processing a sheepskin. Non-processed sheepskins indicated at 802 are washed at step 804. The washed sheepskins are then buffed at 806 and tanned at 808. The tanned skins are then stored at 810, dried in a drying room at 812 and then packed and shipped indicated at 814.

10

In representation 800, the number of sheepskins processed at each particular stage of the manufacturing operation comprises a data value and is contoured. It is readily apparent that the tanning room 808 in Figure 33 is processing fewer sheepskins than the buffing room 806 can produce for it. Such a visualisation could  
15 draw to the attention of the manufacturer the operations of the tanning room so that appropriate action can be taken, for example staff or resource reallocation.

The system can produce an efficiency analysis of different areas of the production process, and can assess proposed changes to the manufacturing operation. This  
20 application could also assist with staff rotation after measuring their performance.

In a further preferred form of the invention, the data repository is arranged to store a sports database of data representing one or more sports events. It is becoming increasingly common to collect large volumes of data each time a game of sport is  
25 played. For example, a game of rugby union generates statistics such as the total number of points scored, the number of tries scored and the number of tries scored which are then converted. Other statistics include ball possession representing the proportion of the game during which a particular team had possession of the ball.

30 There is an increasing trend towards analysis of collected data with a view to analysing opponent's strategies and as a coaching aid in assessing the strengths and weaknesses of a particular team. It is also especially desirable with televised sports to present the collected data to spectators in a form which is easily interpreted.

35 Figure 34 illustrates a preferred form database schema 900 suitable for maintaining sports data in the data repository 40. The schema 900 is shown as a single table in a relational database. It will be appreciated that this table could be normalised to an

appropriate extent. It will also be appreciated that schema 900 could alternatively be represented in an object-oriented form.

5 The schema 900 shown in Figure 34 is particularly suitable for storing data representing possession and territory in a rugby game. A typical record represents a time slice and may include, for example, a record identifier 902. The schema 900 may also include game identifier 904 to uniquely identify the particular sports event represented. The schema 900 may also include a possession field 906 which indicates which team is in possession of the ball in a particular time slice, a time  
10 and/or date indicator 908 and a half field 910 representing the half of the game represented by a time slice.

The schema may also include geographic co-ordinates. The geographic co-ordinates shown in Figure 34 include X co-ordinates 912 and Y co-ordinates 914 representing  
15 the geographic position of the rugby ball on the field in a particular time slice in the New Zealand Map Grid (NZMG) Local Co-Ordinate System Notation. It is envisaged that the geographic co-ordinates could alternatively be represented in Australian Map Grid (AMG) notation or as a latitude or longitude.

20 Figure 35 illustrates a representation 950 showing a plan view of a rugby field showing boundary lines 952, territory lines such as the 22 indicated at 954 and the halfway line indicated at 956. The representation 950 may also include goal posts 958 and 960. The representation 950 is an example of the sports venue or playing field on which the rugby game is played.

25 As shown in Figure 35, the system is arranged to display a contoured representation of the data retrieved from the data repository 40. It is envisaged that the contoured representation could be superimposed onto graphical representation 950 as shown in Figure 35. Alternatively, the contoured representation could be displayed adjacent  
30 to the representation 950, or as an alternative to the representation 950.

The preferred representation 950 is divided into a plurality or grid of areas. The number and spacing of these areas will in each case depend on the result desired. Smaller grid areas will result in a more detailed representation whereas larger grids  
35 will result in a less detailed representation. In one preferred form, the total time that the ball is located in a particular area during a rugby game is calculated from data retrieved from the data repository 40. In the contoured representation of Figure 35, the location of the ball throughout the game can be represented with X and Y values

being the geographic co-ordinates of the rugby ball and the Z value being the total time, or a percentage or portion of the total time, that the rugby ball is located at point (X,Y).

- 5 As shown in Figure 35, the points shown at 962, 964 and 966 respectively indicate geographic locations in which the ball is located repeatedly during the game and areas such as 968 indicate areas in which the ball was not located at all, or not located to a noticeable extent, during a game.
- 10 It is envisaged that the contoured representations could be shown as single summary frames or stills or could alternatively be represented as a series of frames in an animated sequence or AVI. It will also be appreciated that the user may be provided with a query facility to select desired frames to display. Where an animated sequence is presented to the user, the user could be provided with the ability to
- 15 select an appropriate time period to view and also be provided with the facility to control the rate or speed at which a sequence is displayed to the user.

It is envisaged that the nature and scope of data representing a sports event and the contoured representation of the data could be varied. For example, a contoured

20 representation could be produced of ball possession during a rugby game. The ball possession of a particular team could be obtained by summing each time sequence in the data repository from the time a team acquires possession of the ball to the time the team loses possession. It will be appreciated that the database schema 900 could include one or more fields representing the nature of play in a particular time,

25 for example a scrum, maul, charge, line-out, mark, penalty or conversion. Furthermore, the magnitude and direction of change in the geographic position of the ball could be used to calculate the effectiveness of a scrum, maul or charge.

The system could additionally or alternatively be arranged to store in data repository

30 40 other statistics and key performance indicators. For example, team KPIs could include the score, amount of possession, territory, the number of penalties conceded, scrums or mauls that are won or lost, and line-outs that are won or lost. Individual player KPIs could include points scored, tackles made both successful and unsuccessful, handling errors, breaks or half breaks, yards gained in a charge,

35 kicks/passes and runs, turnovers, passes and tackles, penalties, dropped ball as a percentage per game for a pass or from a kick and charge downs.

The system could also store and present KPI groups such as a general overview, a first 5/8 view, forward view, loose view, back view and/or outside back view.

5 The system may also store other KPIs such as the number of kicks in a game, weather factors such as wind speed and direction, rain, sleet or snow, representations of the particular grass or soil, the captain and coach of a particular team in a particular game, and the nature of game, whether it is a local or international challenge or whether it is a semi-final or final.

10 Figures 36 to 38 illustrate further representations which could be presented to a user in relation to a sports event.

Figure 36 illustrates ball possession of each team in a rugby game and the position on the field in which possession is secured.

15

Figure 37 illustrates one preferred form of displaying breaks in a game. The width of the arrows indicate the number of breaks and the location on the field in which the arrow is placed. Where the display is animated, the arrows could fade with time to illustrate ball play. Various other features of a rugby game can be represented in a visual manner by the use of graphical images. The size of each image indicates the number of instances of a particular game feature which have occurred in that location.

20

Figure 38 illustrates rucks and/or mauls represented by a series of dots. It is envisaged that dots and other symbols could be used to represent other gaming features, for example line-outs, penalties awarded, errors, turnovers and combinations such as missed penalties and kicks for touch.

25

Figure 39 illustrates a preferred method of data acquisition arranged to capture data for storage in and subsequent retrieval from the data repository 40. Actual footage of a recorded rugby game could be displayed in a game window (not shown) on a display device. A graphical representation of a venue is displayed in window 970. The representation shown in 970 is divided into a grid, each element in the grid representing a geographic location at the sports venue.

30

35

A user views video footage in the game window and notes the position of the ball at a particular time. As the ball is moved around the playing area, the user operates a pointing device such as a mouse, trackball, joystick or other suitable device to alter

the position of cursor 972 in window 970. The position of cursor 972 is automatically recorded and the corresponding geographic position of the ball on the playing field is calculated from the position of the cursor 972 in window 970. In this way, the position of a ball through a game can be calculated.

5

It is envisaged that this data acquisition could be at least partially automated. For example, the location of the rugby ball in a plurality of time slices could be calculated using known image processing techniques. Successive images of the rugby field could be analysed and the ball identified in the images from the shape and/or colour of the ball.

10

The data acquisition steps could be further supplemented by manual techniques such as individuals viewing the game and keeping statistics, or by automated techniques such as by tracking movement with a suitable GPS system.

15

The data repository 40 could be arranged to store demographic player profiles, including for example age, weight, tackles made, tries scored, total number of runs, number of times over the advantage line, whether or not runs lead to turnover, instances of dropped ball, instances of isolation, successful pass/handoffs, type of run preferred (kick and chase vs break), total yardage gained in the run, and field position. The database could also store data on injuries, development, teams, referees and/or coaches.

20

It will be appreciated that the contoured representations described above could be applied to a plurality of sports. With appropriate modification of the database schema, graphical representation of the sports venue, and the contoured representation, the system could be applied to sports such as rugby league, soccer, tennis, golf, grid iron, baseball, softball, Aussie Rules, hockey, ice hockey and basketball. The system could also be applied to track and field athletics events and also horse and dog racing.

25

30

The invention provides a user-friendly system suitable in the field of sports analysis, for analysis of opposing teams, for use as a coaching aid, and for live viewing for spectators. Preferred forms of the invention may perform player profiling, track game development, pinpoint the circumstances leading to a player's injury, and assist coaches and sports management with assessing referee performance.

35

In a further preferred form, the merchant's business could involve reservation of products or services for use by the customer, such as carparking, boat moorings, secondary and tertiary course allocation, seminar event or course bookings and plane, boat and train bookings. Owners of carparking buildings, for example, require maximum utilisation of available space in order to maximise profits. Such merchants inevitably run below maximum capacity, even in environments where there is a heavy demand for their service, as some places that are booked and/or paid for are often not used. For example, the prepaid carparks in a carparking building will probably not all be used on any given day, due to work sickness, out of town trips, annual leave and the like.

The data repository 40 could be arranged to store data relating to for example carparking buildings. This data could include percentage of occupation, the length of stay, the time of arrival and departure, and preferred position. The system could be arranged to display the merchant premises and superimpose the data values in the form of contoured representations.

Figure 40 illustrates one example of a display 980 generated by the system where the merchant is a carpark operator. The display 980 preferably comprises a floor plan of the car park building. Individual car parks are shown, for example, at 982 and 984, with corresponding contoured representations indicated at 986 and 988.

Where such a visualisation identifies a time period for a facility with consistently low occupation, the merchant can target the market to boost occupation or to lure competitor's customers. For example, a carparking business that identifies an evening with consistently low building occupation may offer a cheap parking movie ticket deal with a nearby cinema complex.

The system enables a merchant to optimise returns by revealing the weekday and time of year and the like when facilities can be oversold, and the margin by which they may be oversold. For example, if a parking building has 120 parks, the system may reveal they are able to sell 135 prepaid parks during the winter, and 128 prepaid parks during the summer, and then after a particular time of day, for example 9:30am, they can sell any remaining empty prepaid parks to casual parkers. The data visualisation may also reveal that on winter Mondays the merchant has far more empty prepaid parks than any other day of the week, which the merchant could then market to casual parkers.

It will be appreciated that the uses and potential areas of application of the system are wide and varied. Merchants and other organisations do not need to follow the traditional approach of forming a hypothesis in advance and then verifying the hypothesis, although the representations generated by the system may be useful for  
5 verifying a particular hypothesis. The system presents data in an easily interpreted and intuitive manner may be useful in identifying unexpected trends in the data. The foregoing describes the invention including preferred forms thereof. Alterations and modifications as will be obvious to those skilled in the art are intended to be incorporated within the scope hereof as defined by the accompanying claims.

10

**CLAIMS**

1. A data visualisation system comprising:  
a data value memory in which is maintained a finite set of data values; and  
5 display means arranged to display a contoured representation wherein one or more of the data values are displayed as contours around one or more data points, each data value centred on a data point.
2. A data visualisation system as claimed in claim 1 further comprising a  
10 memory in which is maintained an interaction database of interaction data representing interactions between customers and merchants; and retrieval means arranged to retrieve from the interaction database data representing interactions between customers and merchants, to construct the finite set of data values from the retrieved data and to store the data values in the data value memory.
- 15 3. A data visualisation system as claimed in claim 2 wherein the display means is further arranged to display a graphical representation of at least one merchant and to superimpose the contoured representation of the data values on the graphical representation of the merchant.
- 20 4. A data visualisation system as claimed in claim 3 wherein the merchant operates from one or more commercial premises, the graphical representation comprising a graphical spatial representation of the premises of the merchant.
- 25 5. A data visualisation system as claimed in claim 4 wherein the merchant operates a casino or gaming venue.
6. A data visualisation system as claimed in claim 4 wherein the merchant comprises a wagering or betting service provider.
- 30 7. A data visualisation system as claimed in claim 4 wherein the merchant comprises a financial or insurance services provider.
8. A data visualisation system as claimed in claim 4 wherein the merchant  
35 operates a manufacturing facility.
9. A data visualisation system as claimed in claim 4 wherein the merchant provides reservation of products or services.

10. A data visualisation system as claimed in claim 3 wherein the merchant operates a manufacturing facility, the graphical representation comprising a representation of a manufacturing process of the merchant.

5

11. A data visualisation system as claimed in claim 3 wherein the merchant comprises a telecommunications service provider operating a telecommunications network, the graphical representation comprising a graphical spatial representation of a network or part of a network operated by a merchant.

10

12. A data visualisation system as claimed in claim 3 wherein the merchant operates from one or more web sites which are accessed by customers over a computer network, the graphical representation comprising a graphical web site map of a merchant.

15

13. A data visualisation system as claimed in claim 2 wherein the display means is further arranged to display a topological map showing the origin of customers in merchant customer interactions.

20

14. A data visualisation system as claimed in claim 1 further comprising a memory in which is maintained a sports database of data representing one or more sports events; and retrieval means arranged to retrieve from the sports database data representing a sports event, to construct the finite set of data values from the retrieved data and to store the data values in the data value memory.

25

15. A data visualisation system as claimed in claim 14 wherein the display means is further arranged to display a graphical representation of a sports venue at which the sports event is held and to superimpose the contoured representation of the data values on the graphical representation of the sports venue.

30

16. A method of data visualisation comprising the steps of:  
maintaining in a data value memory a finite set of data values; and  
displaying a contoured representation wherein one or more of the data values are displayed as contours around one or more data points, each data value centred on a data point.

35

17. A method of data visualisation as claimed in claim 16 further comprising the steps of maintaining in a memory an interaction database of interaction data

representing interactions between customers and merchants; retrieving from the interaction database data representing interactions between customers and merchants; constructing the finite set of data values from the retrieved data; and storing the data values in the data value memory.

5

18. A method of data visualisation as claimed in claim 17 further comprising the steps of displaying a graphical representation of at least one merchant and superimposing the contoured representation of the data values on the graphical representation of the merchant.

10

19. A method of data visualisation as claimed in claim 18 wherein the merchant operates from one or more commercial premises, the graphical representation comprising a graphical spatial representation of the premises of the merchant.

15

20. A method of data visualisation as claimed in claim 19 wherein the merchant operates a casino or gaming venue.

21. A method of data visualisation as claimed in claim 19 wherein the merchant comprises a wagering or betting service provider.

20

22. A method of data visualisation as claimed in claim 19 wherein the merchant comprises a financial or insurance services provider.

23. A method of data visualisation as claimed in claim 19 wherein the merchant operates a manufacturing facility.

25

24. A method of data visualisation as claimed in claim 19 wherein the merchant provides reservation of products or services.

30

25. A method of data visualisation as claimed in claim 18 wherein the merchant operates a manufacturing facility, the graphical representation comprising a representation of a manufacturing process of the merchant.

26. A method of data visualisation as claimed in claim 18 wherein the merchant comprises a telecommunications service provider operating a telecommunications network, the graphical representation comprising a graphical spatial representation of a network or part of a network operated by a merchant.

35

27. A method of data visualisation as claimed in claim 18 wherein the merchant operates from one or more web sites which are accessed by customers over a computer network, the graphical representation comprising a graphical web site map of a merchant.

5

28. A method of data visualisation as claimed in claim 17 wherein the display means is further arranged to display a topological map showing the origin of customers in merchant customer interactions.

10 29. A method of data visualisation as claimed in claim 16 further comprising the steps of maintaining in a memory a sports database of data representing one or more sports events; retrieving from the sports database data representing a sports event; constructing the finite set of data values from the retrieved data; and storing the data values in the data value memory.

15

30. A method of data visualisation as claimed in claim 29 further comprising the steps of displaying a graphical representation of a sports venue at which the sports event is held; and superimposing the contoured representation of the data values on the graphical representation of the sports venue.

20

31. A data visualisation computer program comprising:  
a finite set of data values maintained in a data value memory; and  
display means arranged to display a contoured representation wherein one or more of the data values are displayed as contours around one or more data points,  
25 each data value centred on a data point.

25

32. A data visualisation computer program as claimed in claim 31 further comprising an interaction database of interaction data representing interactions between customers and merchants maintained in a memory; and retrieval means  
30 arranged to retrieve from the interaction database data representing interactions between customers and merchants, to construct the finite set of data values from the retrieved data and to store the data values in the data value memory.

33. A data visualisation computer program as claimed in claim 32 wherein the  
35 display means is further arranged to display a graphical representation of at least one merchant and to superimpose the contoured representation of the data values on the graphical representation of the merchant.

34. A data visualisation computer program as claimed in claim 33 wherein the merchant operates from one or more commercial premises, the graphical representation comprising a graphical spatial representation of the premises of the merchant.

5

35. A data visualisation computer program as claimed in claim 34 wherein the merchant operates a casino or gaming venue.

10

36. A data visualisation computer program as claimed in claim 34 wherein the merchant comprises a wagering or betting service provider.

37. A data visualisation computer program as claimed in claim 34 wherein the merchant comprises a financial or insurance services provider.

15

38. A data visualisation computer program as claimed in claim 34 wherein the merchant operates a manufacturing facility.

39. A data visualisation computer program as claimed in claim 34 wherein the merchant provides reservation of products or services.

20

40. A data visualisation computer program as claimed in claim 33 wherein the merchant operates a manufacturing facility, the graphical representation comprising a representation of a manufacturing process of the merchant.

25

41. A data visualisation computer program as claimed in claim 33 wherein the merchant comprises a telecommunications service provider operating a telecommunications network, the graphical representation comprising a graphical spatial representation of a network or part of a network operated by a merchant.

30

42. A data visualisation computer program as claimed in claim 33 wherein the merchant operates from one or more web sites which are accessed by customers over a computer network, the graphical representation comprising a graphical web site map of a merchant.

35

43. A data visualisation computer program as claimed in claim 32 wherein the display means is further arranged to display a topological map showing the origin of customers in merchant customer interactions.

44. A data visualisation computer program as claimed in claim 31 further comprising a sports database of data representing one or more sports events maintained in a memory; and retrieval means arranged to retrieve from the sports database data representing a sports event, to construct the finite set of data values  
5 from the retrieved data and to store the data values in the data value memory.

45. A data visualisation computer program as claimed in claim 44 wherein the display means is further arranged to display a graphical representation of a sports venue at which the sports event is held and to superimpose the contoured  
10 representation of the data values on the graphical representation of the sports venue.

46. A data visualisation computer program as claimed in any one of claims 31 to 45 embodied on a computer readable medium.




FIGURE 1

2/26




FIGURE 2

3/26




FIGURE 3

4/26




FIGURE 4




FIGURE 5

5/26




FIGURE 6

6/26





FIGURE 7

7/26







FIGURE 10

FIGURE 9

9/26


340

FIGURE 11




350

FIGURE 12



360

FIGURE 13



370

FIGURE 14














FIGURE 15



10/26





12/26




FIGURE 25

13/26




FIGURE 26

14/26




FIGURE 27






FIGURE 28

### Site Usage Patterns

Pattern 1 (31% of users)



Pattern 2 (12% of users)



Pattern 3 (7% of users)





FIGURE 29

16/26




FIGURE 30




FIGURE 31

18/26




FIGURE 32

19/26




FIGURE 33

900 ↗

ID	GAME ID	POSSESSION	TIME	x	y	HALF
1480	670	1	12/30/99 12:15:46	1.23101	28.9773	1
1481	670	1	12/30/99 12:15:46	1.2213	29.7605	1
1482	670	1	12/30/99 12:15:47	1.6381	30.6149	1

902

904

906

908

912

914

910

FIGURE 34





FIGURE 35

22/26

Possession & Territory Visualisation (1<sup>st</sup> half of the  
Highlander/Hurricane match)

Highlanders



Hurricanes





FIGURE 36

## Visualising Breaks

*Example: for entire team, backs or forwards.*



*Example: for backs*





FIGURE 37

24/26

**Rucks and/or Mauls****FIGURE 38**



26/26




FIGURE 40

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/NZ00/00099

**A. CLASSIFICATION OF SUBJECT MATTER**Int. Cl. <sup>7</sup>: G06F 17/30, 17/60

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
WPAT, USPTO Web Patent Database, Esp@cenet, "contour, chart, graph, map, statistic, concentration etc."**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US, A, 5333244 (HARASHIMA) 26 July 1994 See column 6 lines 41 to 58 in particular.	1,16,31
X	AU, A, 51169/96 (UNIVERSITY OF LEEDS) 8 October 1996 Whole document.	1,16,31
X	US, A, 4343469 (KUNITA et al.) 10 August 1982 Whole document.	1,14,15,16,29,30,31,44 45
X	GB, A, 2233197 (WELLS) 2 January 1991 Whole document.	1,14,15,16,29,30,31,44 45
X	US, A, 5689431 (RUDOW et al.) Whole document.	1,2,14,15,16,17,29,30, 31,32,44,45

☐ Further documents are listed in the continuation of Box C
 ☒ See patent family annex

* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed		"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family
--	--	--

Date of the actual completion of the international search  
9 October 2000

Date of mailing of the international search report

17 OCT 2000

Name and mailing address of the ISA/AU

 AUSTRALIAN PATENT OFFICE  
 PO BOX 200, WODEN ACT 2606, AUSTRALIA  
 E-mail address: pct@ipaustalia.gov.au  
 Facsimile No. (02) 6285 3929

Authorized officer

 P. THONG  
 Telephone No : (02) 6283 2128

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

International application No.  
**PCT/NZ00/00099**

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report			Patent Family Member		
US	5333244	JP	4198812	JP	2643596
AU	51169/96	WO	96/29619	GB	9505387
US	4343469	JP	55148574	JP	58043117
END OF ANNEX					

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**